



## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 7010</b>	<b>46</b>	7"	176	8	9.50	15 Nos.	3¼"	85	Round	Differential Coup. L/L 2516, BS III
<b>CF 7052</b>	<b>46</b>	8"	205	12	12.10	19 Nos.	3¼"	85	Round	Differential Coup. Eicher 40.40. AMW Ref. O.E.M. IA 231708
<b>CF 753</b>	<b>46</b>	6"	150	4	13.00	19 Nos.	3¼"	82	Serrated	Centre Coup. TATA 2518, 3718 <b>(Cut Type)</b>
<b>CF 7011</b>	<b>46</b>	6"	150	4	13.00	19 Nos.	3½"	88	Serrated	Pinion Coup. TATA 4018 Ref. O.E.M. P 4303214
<b>CF 780</b>	<b>46</b>	7"	180	4	15.00	22 Nos.	3½"	90	Serrated	Pinion Coup. TATA 4018
<b>CF 7062</b>	<b>46</b>	7"	180	4	15.00	22 Nos.	2¾"	70	Serrated	Differential Coup. TATA 4018
<b>CF 7020</b>	<b>44</b>	7"	176	8	9.50	15 Nos.	4¼"	110	Round	Pinion Coup. L/L 2516
<b>CF 7047</b>	<b>44</b>	7"	176	8	9.50	15 Nos.	3½"	91	Round	Differential Coup. L/L 2516 N/M Ref. O.E.M. K 993709
<b>CF 7021</b>	<b>44</b>	6"	150	4	13.00	19 Nos.	4"	100	Serrated	Pinion Coup. TATA 2518, L/L AMW 2518





## Coupling Flange




Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 7022</b>	<b>44</b>	6"	150	4	13.00	19 Nos.	3½"	91	Serrated	Pinion Coup. TATA 2518
<b>CF 779</b>	<b>44</b>	7"	180	4	15.00	22 Nos.	4½"	110	Serrated	Pinion Coup. TATA 4018
<b>CF 712</b>	<b>41</b>	5"	130	8	10.20	17 Nos.	3¾"	93	Round	Differential Coup. Converted TATA 2515/3516
<b>CF 719</b>	<b>41</b>	6½"	165	8	16.20	24 Nos.	3½"	90	Round	Differential Coup. TATA 4018
<b>CF 776</b>	<b>41</b>	6½"	165	8	16.20	24 Nos.	4¼"	110	Round	Differential Coup. TATA 4018, AMW
<b>CF 741</b>	<b>41</b>	7"	176	8	9.50	15 Nos.	3½"	90	Round	Differential Coup. L/L 2214, 3516, 2516
<b>CF 713</b>	<b>41</b>			4	12.80	21 Nos.	3½"	87	Square	Differential Coup. TATA 2516 TC
<b>CF 767</b>	<b>41</b>	6"	150	4	13.00	19 Nos.	3¾"	93	Serrated	Pinion Coup. L/L 2516, 2518 Oil Seal 76.30mm
<b>CF 778</b>	<b>41</b>	7"	180	4	15.00	22 Nos.	3½"	88	Serrated	Pinion Coup. TATA 4018 N/M Oil Seal 76.30mm





## Coupling Flange




Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 787</b>	<b>41</b>	7"	180	4	15.00	22 Nos.	4½"	112	Serrated	Pinion Coup. TATA 4923 Oil Seal 69.85mm
<b>CF 708</b>	<b>39</b>	5"	130	8	10.20	17 Nos.	3½"	86	Round	Differential Coup. Converted TATA 2515/3516 Oil Seal 69.85 mm
<b>CF 709</b>	<b>39</b>	5"	130	8	10.20	17 Nos.	3½"	86	Round	Differential Coup. Converted TATA 2515/3516 Oil Seal 76.30 mm
<b>CF 771</b>	<b>39</b>	6"	150	4	12.80	21 Nos.	3½"	86	Round	Pinion Coup. L/L 2516 N/M, 1613
<b>CF 770</b>	<b>39</b>	6"	150	4	12.80	21 Nos.	4"	104	Round	Pinion Coup. L/L 2516 N/M, 1616 (Long)
<b>CF 775</b>	<b>39</b>	6½"	165	8	16.20	24 Nos.	4½"	110	Round	Differential Coup. TATA 4018, (Long) AMW
<b>CF 7044</b>	<b>39</b>	6½"	165	8	16.20	24 Nos.	3½"	90	Round	Differential Coup. TATA 2518, AMW, Oil Seal 76.30mm
<b>CF 7045</b>	<b>39</b>	6½"	165	8	16.20	24 Nos.	3½"	90	Round	Differential Coup. TATA 2518, AMW, Oil Seal 71.30mm
<b>CF 7004</b>	<b>39</b>	7"	176	8	9.50	15 Nos.	4"	103	Round	Differential Coup. TATA 2518 BSIII (Long) Oil Seal 76.30mm







# Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 739</b>	<b>39</b>	7"	176	8	9.50	15 Nos.	3½"	88	Round	Differential Coup. 2516, L/L 2214 Oil Seal 71.30 mm
<b>CF 740</b>	<b>39</b>	7"	176	8	9.50	15 Nos.	3½"	88	Round	Differential Coup. L/L 2214/2516/3516 Oil Seal 76.30 mm Ref. O.E.M. P 7D 00039
<b>CF 710</b>	<b>39</b>			4	12.80	21 Nos.	3½"	88	Square	Differential Coup. 2516 TC, Oil Seal - 76.30 mm
<b>CF 7043</b>	<b>39</b>			4	12.80	21 Nos.	3½"	86	Square	Differential Coup. 2516 TC, Oil Seal - 71.30mm
<b>CF 7048</b>	<b>39</b>			4	12.80	21 Nos.	2¾"	71	Square	Differential Coup. Eicher 11.10
<b>CF 7049</b>	<b>39</b>			4	12.80	21 Nos.	3"	76	Square	Differential Coup. Eicher 20.16 Jumbo
<b>CF 763</b>	<b>39</b>	6"	150	4	13.00	19 Nos.	3¾"	93	Serrated	Pinion Coup. TATA 2518/4018 Oil Seal 76.30 mm
<b>CF 764</b>	<b>39</b>	6"	150	4	13.00	19 Nos.	3¾"	93	Serrated	Pinion Coup. TATA 2518/4018 Oil Seal 69.85 mm
<b>CF 7079</b>	<b>39</b>	6"	150	4	13.00	19 Nos.	3¼"	82	Serrated	Centre Coup. TATA 3718, 2518 <b>(Cut Type)</b> Ref. O.E.M. P 7D 000 75





## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 7005</b>	<b>39</b>	6"	150	4	13.00	19 Nos.	4"	105	Serrated	Differential Coup. TATA 2518 BS III
<b>CF 7006</b>	<b>39</b>	6"	150	4	13.00	19 Nos.	2¾"	70	Serrated	Differential Coup. TATA 2518, Oil Seal 76.30mm
<b>CF 7007</b>	<b>39</b>	6"	150	4	13.00	19 Nos.	3"	76	Serrated	Differential Coup. TATA 2518, Oil Seal 69.85mm
<b>CF 7054</b>	<b>39</b>	6"	150	4	13.00	19 Nos.	3"	76	Serrated	Differential Coup. Eicher HCV
<b>CF 7056</b>	<b>39</b>	6"	150	4	13.00	19 Nos.	3¼"	85	Serrated	Differential Coup. L/L 2516 Interaxle
<b>CF 777</b>	<b>39</b>	7"	180	4	15.00	22 Nos.	4¼"	110	Serrated	Pinion Coup. TATA 4923, 4921 Oil Seal 76.30 mm
<b>CF 7059</b>	<b>39</b>	7"	180	4	15.00	22 Nos.	4¼"	110	Serrated	Diff. Coup. TATA L/L, AMW 4923, 4921 Oil Seal 69.85 mm
<b>CF 7036</b>	<b>38</b>	6"	150	4	13.00	19 Nos.	3"	76	Serrated	Gear Coup. TATA. L/L, Bharat Benz, Mahindra Navistar
<b>CF 705</b>	<b>34</b>	5"	130	8	10.20	17 Nos.	3"	77	Round	Centre Coup. Converted TATA 2515 Ex





## Coupling Flange




Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 757</b>	<b>34</b>	5"	130	8	10.20	17 Nos.	3"	78	Round	Centre Coup. TATA 1616/1613, 2515 Ex. Ref. O.E.M. 2187 4111 3701
<b>CF 7003</b>	<b>34</b>	5"	130	8	10.20	17 Nos.	3"	78	Round	Centre Coup. TATA 1613/1616, Eicher 30.25 Oil Seal 55.75mm
<b>CF 748</b>	<b>34</b>	6"	150	8	12.10	19 Nos.	3"	78	Round	Centre Coup. TATA 2518 Ref. O.E.M. 8854 4102 2518
<b>CF 758</b>	<b>34</b>	6"	150	8	12.10	19 Nos.	3"	78	Round	Centre Coup. TATA 2518 N/M
<b>CF 7002</b>	<b>34</b>	6"	150	4	12.80	21 Nos.	2½"	62	Round	Centre Coup. L/L 1613 E-Comet 1512
<b>CF 7039</b>	<b>34</b>	7"	176	8	9.50	15 Nos.	¾"	84	Round	Gear Coup. Eicher 30.25
<b>CF 736</b>	<b>34</b>	7"	176	8	9.50	15 Nos.	2½"	61	Round	Centre Coup. L/L 2214, 2516, Eicher 30.15, 30.25
<b>CF 7032</b>	<b>34</b>			4	12.80	21 Nos.	2"	56	Square	Centre Coup. Swaraj Mazda
<b>CF 706</b>	<b>34</b>			4	12.80	21 Nos.	3"	78	Square	Centre Coup. TATA 2516 TC







## Coupling Flange




Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 735</b>	<b>34</b>			4	12.10	19 Nos.	3"	75	Square	Centre Coup. Eicher Terra 16, HCV
<b>CF 7072</b>	<b>34</b>			4	12.80	21 Nos.	3"	73	Square	Gear Coup. Eicher Terra 16, HCV Ref. O.E.M. IA 201070
<b>CF 7074</b>	<b>34</b>			4	12.80	21 Nos.	3"	73	Square	Gear Coup. Eicher Terra 16, HCV Ref. O.E.M. 302279
<b>CF 7001</b>	<b>34</b>	5"	120	4	11.00	18 Nos.	2½"	61	Serrated	Centre Coup. TATA 407 LPO
<b>CF 747</b>	<b>34</b>	6"	150	4	13.00	19 Nos.	2½"	62	Serrated	Centre Coup. L/L 3116, Eicher 35.31 Ref. O.E.M. 279 000 207
<b>CF 750</b>	<b>34</b>	6"	150	4	13.00	19 Nos.	3"	80	Serrated	Centre Coup. TATA 2518 N/M 1613 Turbo BS III
<b>CF 774</b>	<b>34</b>	6"	150	4	13.00	19 Nos.	¾"	84	Serrated	Diff. Coup. L/L 2518 Interaxle (Long) Ref. O.E.M. 2194 4110 5110
<b>CF 7040</b>	<b>34</b>	6"	150	4	13.00	19 Nos.	3"	74	Serrated	Gear Coup. Eicher Terra 16 HCV, Ref. O.E.M. ID 311 462
<b>CF 7073</b>	<b>34</b>	6"	150	4	13.00	19 Nos.			Serrated	Thro. Shaft Coupling





## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 7080</b>	<b>32</b>	8"	205	12	12.10	19 Nos.	3¼"	82	Round	Gear Coup. Eicher 40.40 Ref. O.E.M. 205829
<b>CF 7071</b>	<b>32</b>	7"	176	8	9.50	15 Nos.	3½"	90	Round	Gear Coup. Eicher
<b>CF 7026</b>	<b>32</b>	6"	150	4	13.00	19 Nos.	3½"	90	Serrated	Gear Coup. Eicher Terra 16 Ref. O.E.M. ID 307 112
<b>CF 7041</b>	<b>31</b>	8"	205	12	12.10	19 Nos.	3¼"	81	Round	Gear Coup. Eicher 30.25, AMW
<b>CF 7008</b>	<b>31</b>	6"	150	4	13.00	19 Nos.	5¼"	133	Serrated	Gear Coup. Flange Eaton Gear 8 Speed L/L U-Truck
<b>CF 781</b>	<b>31</b>	7"	180	4	15.00	22 Nos.	3¼"	82	Serrated	Gear Coup. TATA 4928 (Long Splines)
<b>CF 7076</b>	<b>31</b>	7"	180	4	15.00	22 Nos.	3¼"	82	Serrated	Gear Coup. TATA 4928 (Small Splines)
<b>CF 7009</b>	<b>31</b>	7"	180	4	15.00	22 Nos.	5"	123	Serrated	Gear Coup. Flange Eaton Gear 9 Speed, L/L U-Truck Ref. O.E.M. 2523 3718
<b>CF 7023</b>	<b>30</b>	6"	150	4	13.00	19 Nos.	3"	76	Serrated	Gear Coup. TATA 2518







## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 760</b>	<b>30</b>	7"	180	4	15.00	22 Nos.	4½"	118	Serrated	Centre Coup. TATA 3118, 3718, 3723, 2523, <b>(Straight Cut)</b>
<b>CF 7024</b>	<b>30</b>	7"	180	4	15.00	22 Nos.	3"	76	Serrated	Gear Coup. 4018
<b>CF 7064</b>	<b>30</b>	7"	180	4	15.00	22 Nos.	4"	100	Serrated	Centre Coup. TATA 3118, 3718, 3723, 2523 <b>(Cut Type)</b>
<b>CF 7077</b>	<b>30</b>	7"	180	4	15.00	22 Nos.	3¾"	93	Serrated	Centre Coup. TATA 3118,
<b>CF 7065</b>	<b>28</b>	5"	130	8	10.20	17 Nos.	3"	78	Round	Centre Coup. TATA 1613, 1512, 1618
<b>CF 738</b>	<b>28</b>	7"	176	8	9.50	15 Nos.	2½"	60	Round	Gear Coup. L/L 2214, 2516, 3516, Taurus Ref. O.E.M. F 1435 1711
<b>CF 756</b>	<b>28</b>	7"	176	8	9.50	15 Nos.	4½"	115	Round	Gear Coup. ZF Bell Type L/L 2516, 3516
<b>CF 7014</b>	<b>28</b>			4	12.80	21 Nos.	3¼"	83	Square	Gear Coup. L/L 1616 CARGO (ZF)
<b>CF 7016</b>	<b>28</b>	5"	120	4	11.00	18 Nos.	3½"	90	Serrated	Gear Coup. L/L IVECO, E-Comet 1616





# Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 765</b>	<b>28</b>	6"	150	4	13.00	19 Nos.	4"	100	Serrated	Gear Coup. L/L 2516, 3118, 3116, (ZF Type) <b>Straight Cut</b>
<b>CF 766</b>	<b>28</b>	6"	150	4	13.00	19 Nos.	3¾"	95	Serrated	Gear Coup. TATA 4928 Bharat Benz
<b>CF 752</b>	<b>28</b>	6"	150	4	13.00	19 Nos.	3"	78	Serrated	Centre Coup. TATA 4923 <b>(Cut Type)</b>
<b>CF 7015</b>	<b>28</b>	6"	150	4	13.00	19 Nos.	2¼"	60	Serrated	Gear Coup. TATA 3718, 2523, GB 950
<b>CF 7035</b>	<b>28</b>	6"	150	4	13.00	19 Nos.	3"	75	Serrated	Gear Coup. TATA 4928, Bharat Benz Ref. O.E.M. 330106
<b>CF 7067</b>	<b>28</b>	7"	180	4	15.00	22 Nos.	3"	75	Serrated	Gear Coup. TATA 4923
<b>CF 723</b>	<b>26</b>	5"	120	6	10.20	17 Nos.	2½"	61	Round	Differential Coup. TATA 1210 Ref. O.E.M. 312 350 1245
<b>CF 701</b>	<b>26</b>	5"	130	8	10.20	17 Nos.	3"	76	Round	Centre Coup. TATA 2416 Ref. O.E.M. 2632 4111 0111
<b>CF 704</b>	<b>26</b>	5"	130	8	10.20	17 Nos.	2½"	61	Round	Differential Coup. TATA 1312/1612 Ref. O.E.M. 2576 3520 0110





## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 746</b>	<b>26</b>	5"	130	8	10.20	17 Nos.	3¾"	92	Round	Centre Coup. 2416 N/M TATA 2515, LPT 1613 Ref. O.E.M. 2632 4110 5103
<b>CF 716</b>	<b>26</b>	6"	150	8	12.10	19 Nos.	2½"	64	Round	Differential Coup. TATA 2518, 2516 Ref. O.E.M. 2732 3530 0180
<b>CF 7028</b>	<b>26</b>	6"	150	8	12.10	19 Nos.	3¾"	93	Round	Centre Coup. TATA 2516 2518, Oil Seal 71 mm
<b>CF 784</b>	<b>26</b>	6"	150	8	12.10	19 Nos.	3"	72	Round	Centre Coup. TATA 2516 2518 N/M
<b>CF 720</b>	<b>26</b>	6½"	165	8	16.20	24 Nos.	3"	74	Round	Differential Coupling TATA 4018 N/M
<b>CF 785</b>	<b>26</b>	7"	176	8	9.50	15 Nos.	4"	95	Round	Differential Coupling L/L 2214 N/M
<b>CF 762</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	3¾"	80	Serrated	Centre Coup. TATA 2518, 2516, 3118
<b>CF 772</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	2½"	62	Serrated	Pinion Coup. TATA 2518 (Small)
<b>CF 790</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	2½"	62	Serrated	Pinion Coup. TATA 2518 (Small) <b>(CF 772 Cut Type)</b>







## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 773</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	4¼"	110	Serrated	Gear Coup. GB-75, 2518/4018 Ref. O.E.M. 2715 2620 0126
<b>CF 797</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	4¼"	110	Serrated	Gear Coup. GB-75, 2518/ 4018 <b>(CF 773 Cut Type)</b>
<b>CF 786</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	4"	96	Serrated	Centre Coup. TATA 2518 Oil Seal 72.60 mm Ref. O.E.M. 2846 4110 5102
<b>CF 7078</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	4"	96	Serrated	Centre Coup. TATA 2518 Oil Seal 68.80 mm
<b>CF 791</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	4"	96	Serrated	Centre Coup. TATA 2518 <b>(CF 786 Cut Type)</b>
<b>CF 789</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	3¼"	85	Serrated	Pinion Coup. TATA 3128 L/L 3136 <b>(Big Bore) - Oil Seal 90 mm</b>
<b>CF 793</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	3¼"	85	Serrated	Centre Coup. TATA 2518, <b>Oil Seal 85 mm</b>
<b>CF 794</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	3½"	90	Serrated	Gear Coup. GBS 1150, TATA 2523, 3723 <b>(Big Bore) - Oil Seal 80 mm</b>
<b>CF 7063</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	3½"	88	Serrated	Centre Coup. TATA 3118 Modified





# Coupling Flange




Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 7055</b>	<b>26</b>	6"	150	4	13.00	19 Nos.	4¼"	108	Serrated	Differential Coup. TATA 4923
<b>CF 783</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	4¼"	110	Serrated	Gear Coup. GB 75 TATA 4923 Prima
<b>CF 749</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	3¼"	85	Serrated	Pinion Coup. TATA 3128 L/L 3136 <b>(Big Bore) - Oil Seal 90 mm</b> , Ref. O.E.M. 5810 3530 0117
<b>CF 795</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	3½"	90	Serrated	Gear Coup. GBS 1150, TATA 2523, 3723 <b>(Big Bore) - Oil Seal 80 mm</b>
<b>CF 798</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	3¾"	95	Serrated	Pinion Coup. TATA 4018 <b>(Big Bore) - Oil Seal 80 mm</b>
<b>CF 7027</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	4"	98	Serrated	Centre Coup. TATA 3118, LPK 3718. <b>Straight Cut</b>
<b>CF 7057</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	3½"	90	Serrated	Differential Coup. TATA 3118, Prima <b>Oil Seal 85 mm (Big Bore)</b>
<b>CF 7060</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	2½"	62	Serrated	Differential Coup. TATA 4923
<b>CF 7068</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	2¾"	70	Serrated	Differential Coup. TATA 3118, Prima <b>Oil Seal 80 mm</b>





## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 7075</b>	<b>26</b>	7"	180	4	15.00	22 Nos.	3½"	92	Serrated	Centre Coup. TATA 3118, <b>Cut Type</b>
<b>CF 7058</b>	<b>24</b>	6"	150	4	13.00	19 Nos.	3½"	88	Serrated	Pinion Coup. TATA 3128, 2528, Prima 4929
<b>CF 782</b>	<b>21</b>	7"	180	4	15.00	22 Nos.	2½"	63	Serrated	Gear Coup. TATA 4018, AMW
<b>CF 7038</b>	<b>20</b>			4	12.80	21 Nos.	4"	104	Square	Gear Coup. Eicher 11.10
<b>CF 754</b>	<b>20</b>	6"	150	4	13.00	19 Nos.	2¾"	71	Serrated	Centre Coup. TATA 3127, 3128 <b>Cut Type</b> <b>Oil Seal 76.30 mm</b> Ref. O.E.M. 5039 4110 5102
<b>CF 7012</b>	<b>20</b>	6"	150	4	13.00	19 Nos.	3"	74	Serrated	Centre Coup. TATA 2518, 3718
<b>CF 788</b>	<b>20</b>	7"	180	4	15.00	22 Nos.	2¾"	71	Serrated	Centre Coup. TATA 1624, 1625, 4129 L/L 3518 Ref. O.E.M. 2113 5552 00504
<b>CF 737</b>	<b>18</b>	5"	125	4	12.10	19 Nos.	2½"	66	Round	Gear Coup. Eicher 11.10 Ref. O.E.M. IA 231 443
<b>CF 715</b>	<b>18</b>	5"	130	8	10.20	17 Nos.	3½"	90	Round	Gear Coup. GB-60 TATA 2515 EX Ref. O.E.M. 2691 2620 0172







## Coupling Flange




Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 717</b>	<b>18</b>	6"	150	8	12.10	19 Nos.	2½"	62	Round	Gear Coup. TATA 2516, 2518, 3516 Ref. O.E.M. 2691 2620 0173
<b>CF 718</b>	<b>18</b>	6½"	165	8	16.20	24 Nos.	3"	76	Round	Gear Coup. TATA 4018, 2516 Ref. O.E.M. 2691 2620 0174
<b>CF 7025</b>	<b>18</b>			4	12.10	19 Nos.	4"	102	Square	Gear Coup. Eicher 10.90
<b>CF 761</b>	<b>18</b>	6"	150	4	13.00	19 Nos.	2½"	62	Serrated	Gear Coup. TATA 2518 1613 Turbo Ref. O.E.M. 2691 2620 0193
<b>CF 792</b>	<b>18</b>	6"	150	4	13.00	19 Nos.	2½"	62	Serrated	Gear Coup. TATA 2518 1613 Turbo <b>(CF 761 Straight Cut Type)</b>
<b>CF 727</b>	<b>16</b>	4"	100	6	8.20	13 Nos.	2¼"	56	Round	Centre Coup. TATA 407 Ref. O.E.M. 2651 4110 0122
<b>CF 728</b>	<b>16</b>	4"	100	6	8.20	13 Nos.	2¼"	56	Round	Gear Coup. TATA 407 Ref. O.E.M. 2515 2620 0111
<b>CF 729</b>	<b>16</b>	4"	100	6	8.20	13 Nos.	2¼"	56	Round	Differential Coup. TATA 407 Ref. O.E.M. 2664 3335 0101
<b>CF 722</b>	<b>16</b>	5"	120	6	10.20	17 Nos.	2½"	62	Round	Gear Coup. GBS-40 Ref. O.E.M. 322 262 0045





## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 732</b>	<b>16</b>	5"	120	6	10.20	17 Nos.	2½"	60	Round	Gear Coup. TATA 709, 909 <b>CF 722 Small</b>
<b>CF 726</b>	<b>16</b>	5"	120	6	10.20	17 Nos.	2¼"	55	Round	Differential Coup. Converted 407/1210
<b>CF 730</b>	<b>16</b>	5"	120	6	10.20	17 Nos.	2¼"	55	Round	Centre Coup. Converted 407/1210
<b>CF 731</b>	<b>16</b>	5"	120	6	10.20	17 Nos.	2¼"	55	Round	Gear Coup. Converted 407/1210
<b>CF 799</b>	<b>16</b>	5"	120	6	10.20	17 Nos.	2¾"	71	Round	Centre Coup. TATA 709/909 <b>MSL Type</b>
<b>CF 703</b>	<b>16</b>	5"	130	8	10.20	17 Nos.	2¾"	70	Round	Gear Coup. TATA 1312/1612 Ref. O.E.M. 2507 2620 5001
<b>CF 7042</b>	<b>16</b>	5"	130	8	10.20	17 Nos.	2¼"	60	Round	Differential Coup. TATA 1109 Euro II, BS III
<b>CF 751</b>	<b>16</b>	7"	176	8	9.50	15 Nos.	3¾"	95	Round	Centre Coup. L/L Taurus 1616, Eicher 30.25 Ref. O.E.M. F 143 3311
<b>CF 7050</b>	<b>16</b>			4	12.80	21 Nos.	3¾"	95	Square	Differential Coup. Eicher Terra 16, <b>Oil Seal 71 mm</b> Ref. O.E.M. IA 300 947





## Coupling Flange




Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 733</b>	<b>16</b>			4	12.10	19 Nos.	4"	96	Square	Centre Coup. Eicher 11.10 <b>Oil Seal 62 mm</b> Ref. O.E.M. IA 207 178
<b>CF 7070</b>	<b>16</b>	5"	120	4	11.00	18 Nos.	2¼"	60	Serrated	Differential Coup. 1210 N/M
<b>CF 7033</b>	<b>16</b>	5"	120	4	11.00	18 Nos.	3½"	89	Serrated	Gear Coup. 1210 N/M GB-40
<b>CF 769</b>	<b>16</b>	6"	150	4	13.00	19 Nos.	3"	80	Serrated	Centre Coup. TATA 3118, 2518 L/L 2516, Man 25T Ref. O.E.M. 2846 4110 5104
<b>CF 7053</b>	<b>16</b>	6"	150	4	13.00	19 Nos.	3¾"	95	Serrated	Differential Coup. Eicher Terra 16 N/M
<b>CF 7031</b>	<b>16</b>	7"	180	4	15.00	22 Nos.	3"	80	Serrated	Centre Coup. TATA 4923
<b>CF 721</b>	<b>14</b>	5"	120	6	10.20	17 Nos.	2½"	62	Round	Centre Coup. GB-40 TATA 1210, SE Ref. O.E.M. 2573 4110 0110
<b>CF 725</b>	<b>14</b>	5"	120	6	10.20	17 Nos.	2½"	62	Round	Gear Coup. TATA 1210 Ref. O.E.M. 312 261 1517
<b>CF 734</b>	<b>14</b>	5"	125	4	12.10	19 Nos.	2½"	66	Round	Gear Coup. Eicher 10.90







## Coupling Flange



Part No.	No. of Splines	Plate Dia (A)		No. of Holes	Hole Size	Bolt Size	Total Height (B)		Type	Application
		Inches	mm				Inches	mm		
<b>CF 702</b>	<b>14</b>	5"	130	8	10.20	17 Nos.	2½"	64	Round	Centre Coup. TATA 1312/1612 Ref. O.E.M. 2575 4110 0104
<b>CF 7051</b>	<b>14</b>			4	12.80	21 Nos.	2½"	60	Square	Differential Coup. Eicher Canter LCV
<b>CF 744</b>	<b>10</b>	6"	146	4	12.80	21 Nos.	¾"	85	Round	Differential Coup. L/L 350/370, Tusker
<b>CF 755</b>	<b>10</b>	6"	150	4	12.80	21 Nos.	2½"	63	Round	Centre Coup. L/L 1613 Turbo, Eicher
<b>CF 759</b>	<b>10</b>	7"	176	8	9.50	15 Nos.	¾"	92	Round	Centre Coup. L/L Taurus
<b>CF 7017</b>	<b>10</b>	7"	176	8	9.50	15 Nos.	3"	75	Round	Differential Coup. L/L 2516
<b>CF 745</b>	<b>10</b>			4	12.80	21 Nos.	3"	75	Square	Centre Coup. L/L Tusker Ref. O.E.M. F 143 2011
<b>CF 7018</b>	<b>10</b>			4	12.80	21 Nos.	2½"	62	Square	Centre Coup. Eicher Canter 10.40, 10.70
<b>CF 724</b>	<b>10</b>	5"	120	4	11.00	18 Nos.	¼"	59	Serrated	Centre Coup. 709/909

