



®

**PROPELLER SHAFT &  
STEERING COMPONENTS**



**DOWNLOAD APP**  
**KKI AUTOS**  
ANDROID APP ON **Google play** **Download on the App Store**

**TRUST OF EXPERIENCE — TRUST IN PERFORMANCE**



# Index



CONTENTS			CONTENTS			CONTENTS		
		PAGE			PAGE			PAGE
	Universal Joint Cross	1		Sleeve Yoke / Slip Yoke Assy.	11-14		Coupling Flange	37-50
	Complete Long Fork & Sleeve Bottle Set	2-3		Rear Teeth / Slip Stub Shaft (Teflon Coated)	15-20		Fly Wheel Ring	51
	Rear Housing / Sleeve Bottles (Teflon Coated)	4-5		Sleeve Yoke Assy.	21		Clutch Fork	52
	Long Fork (With & Without Dust Cover)	6-7		Half Yoke Assy.	21		Gear Retainer	52
	Dust Cover With Seal	8		Front Teeth / Mid Ship Stub Shaft (With Nut)	22-25		Through Shafts	52
	Half Yoke & Rear Housing Assembly	8		Half Yoke / Tube Yoke	26-28		Through Shafts Housing	52
	Yoke & Teeth Set / Teflon Coated	9-10		Cross Holder / Flange Yoke	29-36		Stg. U-J Cross Assy.	52



# Index

**DOWNLOAD APP**  
**KKI AUTOS**



Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
<b>Yoke &amp; Teeth Set / Teflon Coated</b>		YT 122	9	YT 137T	2	YT 152	3	YT 168	10	SY 203	11	SY 235	13	SY 257	4	SY 278	5
		YT 123	10	YT 138	2	YT 152T	3	YT 168T	10	SY 204	12	SY 237	13	SY 257T	4	SY 278T	5
YT 101	9	YT 123T	10	YT 138T	2	YT 153	3	YT 169	10	SY 205	11	SY 238	12	SY 258	5	SY 279	5
YT 102	9	YT 124	10	YT 139	2	YT 153T	3	YT 169T	10	SY 207	11	SY 239	12	SY 258T	5	SY 279T	5
YT 103	9	YT 124T	10	YT 139T	2	YT 154	3	YT 170	3	SY 208	13	SY 240	4	SY 259	4	SY 280	5
YT 104	9	YT 125	9	YT 140	2	YT 154T	3	YT 170T	3	SY 209	21	SY 240T	4	SY 259T	4	SY 280T	5
YT 106	9	YT 125T	9	YT 140T	2	YT 155	2	YT 171	2	SY 210	11	SY 241	4	SY 261	5	SY 281	5
YT 106T	9	YT 126	9	YT 141	2	YT 155T	2	YT 171T	2	SY 211	21	SY 241T	4	SY 261T	5	SY 281T	5
YT 107	9	YT 126T	9	YT 141T	2	YT 156	2	YT 172	2	SY 212	11	SY 242	4	SY 262	14	SY 282	4
YT 108	9	YT 127	10	YT 142	10	YT 156T	2	YT 172T	2	SY 213	21	SY 242T	4	SY 263	14	SY 282T	4
YT 108T	9	YT 128	10	YT 142T	10	YT 157	3	YT 173	2	SY 215	13	SY 243	4	SY 264	13	SY 283	4
YT 109	9	YT 128T	10	YT 143	9	YT 157T	3	YT 173T	2	SY 216	14	SY 243T	4	SY 265	4	SY 283T	4
YT 110	9	YT 129	10	YT 143T	9	YT 158	3	YT 174	2	SY 217	14	SY 244	12	SY 265T	4	SY 284	4
YT 111	10	YT 129T	10	YT 144	10	YT 158T	3	YT 174T	2	SY 218	14	SY 245	5	SY 267	4	SY 284T	4
YT 112	10	YT 130	9	YT 144T	10	YT 159	3	YT 175	3	SY 219	14	SY 245T	5	SY 267T	4	SY 285	5
YT 112T	10	YT 130T	9	YT 145	10	YT 159T	3	YT 175T	3	SY 220	14	SY 246	21	SY 268	14	SY 285T	5
YT 113	10	YT 131	10	YT 145T	10	YT 160	3	YT 176	3	SY 221	12	SY 247	4	SY 269	5	SY 286	5
YT 114	10	YT 131T	10	YT 146	10	YT 160T	3	YT 176T	3	SY 222	21	SY 247T	4	SY 269T	5	SY 286T	5
YT 114T	10	YT 132	9	YT 146T	10	YT 161	10	YT 177	3	SY 223	21	SY 248	12	SY 271	5	SY 287	5
YT 115	10	YT 132T	9	YT 147	10	YT 161T	10	YT 177T	3	SY 224	21	SY 249	4	SY 271T	5	SY 287T	5
YT 115T	10	YT 133	9	YT 147T	10	YT 162T	10	YT 178	3	SY 225	21	SY 249T	4	SY 272	13		
YT 116	9	YT 133T	9	YT 148	2	YT 163T	10	YT 178T	3	SY 226	11	SY 250	13	SY 273	14	<b>Rear Teeth / Slip Stub Shaft</b>	
YT 116T	9	YT 134	9	YT 148T	2	YT 164T	10	YT 179	3	SY 228	11	SY 251	11	SY 274	4		
YT 117	9	YT 134T	9	YT 149	2	YT 165	2	YT 179T	3	SY 229	12	SY 252	14	SY 274T	4	RT 301	15
YT 118	10	YT 135	9	YT 149T	2	YT 165T	2			SY 230	21	SY 253	5	SY 275	4	RT 302	15
YT 118T	10	YT 135T	9	YT 150	2	YT 166	2	<b>Sleeve Yoke / Slip Yoke Assly.</b>		SY 231	13	SY 253T	5	SY 275T	4	RT 303	16
YT 119	9	YT 136	2	YT 150T	2	YT 166T	2			SY 232	21	SY 255	5	SY 276	14	RT 304	15
YT 120	9	YT 136T	2	YT 151	3	YT 167	2	SY 201	21	SY 233	12	SY 255T	4	SY 277	4	RT 306	15
YT 121	9	YT 137	2	YT 151T	3	YT 167T	2	SY 202	11	SY 234	21	SY 256	12	SY 277T	4	RT 306T	15



# Index

**DOWNLOAD APP**  
**KKI AUTOS**



Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
RT 307	15	RT 333	19	RT 356	6	RT 381	6	FT 406	22	FT 437	24	HY 528	21	HY 561	28	CH 621	29
RT 308	16	RT 333T	19	RT 357	6	RT 382	7	FT 408	25	FT 438	25	HY 529	27	HY 562	28	CH 622	32
RT 309	18	RT 334	17	RT 358	16	RT 383	7	FT 409	25	FT 439	24	HY 533	26	HY 563	28	CH 623	35
RT 309T	18	RT 334T	17	RT 358T	16	RT 384	7	FT 410	22			HY 534	Use HY 542	HY 564	27	CH 624	36
RT 310	15	RT 335	17	RT 359	6	RT 385	7	FT 411	22	<b>Half Yoke / Tube Yoke</b>		HY 535	Use HY 536	HY 565	27	CH 625	36
RT 311	15	RT 335T	17	RT 360	7	RT 386	19	FT 412	22			HY 536		HY 566	27	CH 626	32
RT 312	18	RT 336	16/17/18	RT 361	7	RT 386T	19	FT 413	22	HY 501	21	HY 537	Use HY 540	HY 567	28	CH 627	29
RT 313	20	RT 336T	16/17/18	RT 362	7	RT 387	17	FT 414	22	HY 502	21	HY 538	Use HY 541			CH 628	35
RT 313T	20	RT 337	6	RT 363	6	RT 387T	17	FT 415	23	HY 503	26	HY 539	26	<b>Cross Holder / Flange Yoke</b>		CH 629	33
RT 314	17/19	RT 338	6	RT 364	6	RT 388T	20	FT 416	25	HY 504	26	HY 540	27	CH 630		CH 631	31
RT 314T	17/19	RT 339	6	RT 365	7	RT 389T	20	FT 417	25	HY 505	26	HY 541	27	CH 601	30	CH 632	31
RT 315	18	RT 340	6	RT 366	7	RT 390T	19	FT 418	22	HY 506	21	HY 542	26	CH 602	30	CH 633	32
RT 315T	18	RT 341	6	RT 367	19	RT 391	19	FT 419	23	HY 507	26	HY 543	28	CH 603	30	CH 634	31
RT 317	16	RT 342	16	RT 367T	19	RT 391T	19	FT 420	22	HY 508	21	HY 544	27	CH 604	29	CH 635	33
RT 317T	16	RT 343	6	RT 368	7	RT 392	7	FT 421	22	HY 509	26	HY 545	26	CH 605	29	CH 636	30
RT 319	18	RT 344	17	RT 369	7	RT 393	7	FT 422	23	HY 510	21	HY 546	26	CH 606	31	CH 637	36
RT 319T	18	RT 344T	17	RT 370	20	RT 394	7	FT 423	23	HY 511	28	HY 547	28	CH 607	30	CH 638	32
RT 320	16	RT 345	15	RT 370T	20	RT 395	6	FT 424	25	HY 512	28	HY 548	28	CH 608	30	CH 639	31
RT 321	16	RT 346	19	RT 371	7	RT 396	7	FT 425	24	HY 513	26	HY 549	27	CH 609	35	CH 640	32
RT 322	16	RT 346T	19	RT 372	19	RT 397	6	FT 426	24	HY 514	28	HY 550	28	CH 610	35	CH 641	31
RT 323	16	RT 347	6	RT 372T	19	RT 398	6	FT 427	24	HY 515	28	HY 551	27	CH 611	29	CH 642	34
RT 324	17/18	RT 348	6	RT 373	7			FT 428	24	HY 520	21	HY 552	27	CH 612	35	CH 643	34
RT 324T	17/18	RT 349	6	RT 374	6	<b>Front Teeth / Mid Ship Stub Shaft (With Nut)</b>		FT 429	24	HY 521	21	HY 553	Use HY 556	CH 613	30	CH 644	32
RT 326	17/18	RT 350	6	RT 375	6			FT 430	23	HY 522	26	HY 554	26	CH 614	33	CH 645	29
RT 326T	17/18	RT 351	6	RT 376	6			FT 431	22	HY 523	26	HY 555	27	CH 615	30	CH 646	35
RT 329	15	RT 352	6	RT 377	7	FT 401	23	FT 432	23	HY 524	21	HY 556	27	CH 616	32	CH 647	29
RT 330	19	RT 353	7	RT 378	7	FT 402	23	FT 433	24	HY 525	21	HY 558	27	CH 618	32	CH 648	29
RT 330T	19	RT 354	6	RT 379	7	FT 403	23	FT 435	25	HY 526	26	HY 559	27	CH 619	33	CH 649	29
RT 331	18	RT 355	7	RT 380	6	FT 405	23	FT 436	24	HY 527	26	HY 560	27	CH 620	33	CH 650	32



# Index

**DOWNLOAD APP  
KKI AUTOS**



Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	
CH 651	32	CF 703	39	CF 735	42	CF 764	44	CF 793	38	CF 7023	46	OI 842	51	OI 880	8	<b>Universal Joint Cross</b>		
CH 653	34	CF 704	37	CF 736	42	CF 765	48	CF 794	39	CF 7024	46	OI 843	51	OI 881	8			
CH 654	34	CF 705	41	CF 737	49	CF 766	48	CF 795	39	CF 7025	49	OI 844	52	OI 882	8	UJ 901	1	
CH 655	36	CF 706	41	CF 738	48	CF 767	45	CF 796	39	CF 7026	42	OI 845	52	OI 883	8	UJ 902	1	
CH 656	31	CF 708	43	CF 739	43	CF 768	47	CF 797	39			OI 846	52	OI 884	8	UJ 903	1	
CH 657	30	CF 709	43	CF 740	43	CF 769	40	CF 798	39	<b>Other Items</b>		OI 847	52	OI 885	51	UJ 904	1	
CH 658	33	CF 710	43	CF 741	45	CF 770	43	CF 799	40	OI 801	52	OI 848	52	OI 886	51	UJ 905	1	
CH 659	33	CF 712	45	CF 742	46	CF 771	43	CF 7001	42	OI 805	52	OI 851	52	OI 887	51	UJ 906	1	
CH 660	34	CF 713	45	CF 743	46	CF 772	38	CF 7002	42	OI 806	52	OI 852	51	OI 888	51	UJ 907	1	
CH 661	34	CF 715	49	CF 744	50	CF 773	38	CF 7003	42	OI 807	52	OI 853	51	OI 889	51	UJ 908	1	
CH 662	35	CF 716	37	CF 745	50	CF 774	42	CF 7004	43	OI 808	51	OI 854	51	OI 890	52	UJ 909	1	
CH 663	31	CF 717	49	CF 746	37	CF 775	43	CF 7005	44	OI 809	51	OI 856	51	OI 891	51	UJ 910	1	
CH 664	36	CF 718	49	CF 747	42	CF 776	45	CF 7006	44	OI 810	51	OI 857	51	OI 892	52	UJ 911	1	
CH 665	36	CF 719	45	CF 748	41	CF 777	44	CF 7007	44	OI 811	51	OI 858	51	OI 893	52	UJ 912	1	
CH 666	31	CF 720	37	CF 749	38	CF 778	45	CF 7008	44	OI 812	51	OI 859	52	OI 894	52	UJ 913	1	
CH 667	33	CF 721	41	CF 750	42	CF 779	47	CF 7009	44	OI 813	51	OI 860	8	OI 895	52	UJ 914	1	
CH 668	33	CF 722	39	CF 751	40	CF 780	46	CF 7010	46	OI 814	51	OI 861	8	OI 896	8	UJ 915	1	
CH 669	33	CF 723	37	CF 752	48	CF 781	44	CF 7011	46	OI 815	52	OI 863	52	OI 897	8	UJ 916	1	
CH 670	34	CF 724	50	CF 753	46	CF 782	45	CF 7012	47	OI 816	52	OI 864	52	OI 898	8	UJ 917	1	
CH 671	34	CF 725	41	CF 754	47	CF 783	38	CF 7013	47	OI 821	52	OI 865	8	OI 8001	8	UJ 918	1	
CH 672	34	CF 726	40	CF 755	50	CF 784	37	CF 7014	48	OI 824	52	OI 866	8	OI 8002	8	UJ 919	1	
CH 673	35	CF 727	39	CF 756	48	CF 785	37	CF 7015	48	OI 826	52	OI 867	52	OI 8003	8	UJ 920	1	
CH 674	36	CF 728	39	CF 757	41	CF 786	38	CF 7016	48	OI 827	52	OI 868	51			UJ 921	1	
CH 675	35	CF 729	40	CF 758	41	CF 787	45	CF 7017	50	OI 828	52	OI 869	8			UJ 922	1	
		CF 730	40	CF 759	50	CF 788	47	CF 7018	50	OI 834	52	OI 870	51			UJ 923	1	
<b>Coupling Flange</b>		CF 731	40	CF 760	46	CF 789	38	CF 7019	50	OI 836	51	OI 876	8	<b>Ready Reckoner of Shaft Components</b>				
		CF 732	40	CF 761	49	CF 790	38	CF 7020	47	OI 837	52	OI 877	8					
CF 701	37	CF 733	40	CF 762	37	CF 791	38	CF 7021	47	OI 839	52	OI 878	8					
CF 702	41	CF 734	41	CF 763	44	CF 792	49	CF 7022	47	OI 841	51	OI 879	8					



# Universal Joint Cross



Series	Part No.	Cup Dia (mm) (D)	Cross Length (mm) (L)	Application
1312	UJ 901	46	68.90	TATA 1312, 1612, 1510, 1516, 2213, 2416
1210	UJ 902	38	57	TATA 1210
SPL 90	UJ 903	41.27	126	TATA 2515 EX L/L 2214, 3516, 2516, Eicher Galaxy 3025,
Tusker	UJ 904	34.92	126.20	L/L Tusker (MSL Type) Leyland Hinno, Eicher 2016 (Jumbo)
4018 Patti Type	UJ 905	49.20	154.90	Patti Type, TATA 4018, AMW, 1710 Series, Mahindra, Navi Star
RSB 325	UJ 906	42	119	TATA 2515 EX, 1613 Turbo
RSB 403	UJ 907	42	129	TATA 2518, Hywa (Single Roller)
RSB 490	UJ 908	48	135	TATA 4018 3118 (Single Roller)
SPR 2040 Taurus	UJ 909	47.62	135	TATA 2515, L/L 3518
RSB 590 SPR 2045	UJ 910	52	147	TATA 4928, Prima, Volvo, Bharat Benz
RSB 620 SPR 2055	UJ 911	57	152	TATA 4928, Volvo, Bharat Benz
L/L 370	UJ 912	39.68	115.40	Bedford (J-4), L/L 370





Series	Part No.	Cup Dia (mm) (D)	Cross Length (mm) (L)	Application
TATA 407	UJ 913	30	81.80	TATA 407
Canter	UJ 914	30.17	106.30	Canter N/M, Swaraj Mazda
DCM	UJ 915	30.17	92	TATA 407, Turbo Front MSL Type
Pickup	UJ 916	34.92	106.35	TATA 407 Pickup, J.C.B. 3DX
Jeep	UJ 917	27	81.80	JEEP, Diesel, Balero, Marshal
RSB 585	UJ 918	48	154	TATA 2523, L/L 4923
SPR 2060	UJ 919	59	167	TATA 3138, L/L 2636 Eicher 40 T
SPR 2065	UJ 920	65	172	TATA 2528, L/L 4928
TATA ACE	UJ 921	23.82	34.90	TATA Ace (old model)
TATA ACE (MAGIC)	UJ 922	22	55	TATA Ace Magic
L/L DOST	UJ 923	27	81.62	L/L Dost



## Complete Long Fork & Sleeve Bottle Set





Series & Cross	Part No.	No. of Teeth	 Part No.	Long Fork Length	 Part No.	Rear Housing Length	Pipe Dia	Ref. O.E.M.	Application
<b>RSB 325 (42 x 119) UJ 906</b>	YT 136/T	20	RT 347	12½"	SY 240/T	7"	3½"		TATA 2515 Ex. 1613. Short
	YT 137/T	20	RT 352	15¾"	SY 259/T	10¼"	3½"		TATA 2515 Ex. Long
	YT 148/T	24	RT 364	12"	SY 257/T	8"	4"		TATA 1512 LPO
	YT 165/T	20	RT 347	12½"	SY 241/T	7"	4"		TATA 2515 Ex. 1613. Short
<b>RSB 403 (42 x 129) UJ 907</b>	YT 138/T	20	RT 349	13½"	SY 241/T	7"	4"		TATA 2518 Short
	YT 139/T	20	RT 348	14½"	SY 242/T	9"	4"		TATA 2518 Medium
	YT 149/T	20	RT 356	16"	SY 249/T	10"	4"		TATA 2518 Long
	YT 171/T	20	RT 348	14½"	SY 283/T	9"	4"		TATA 2518 Long (Weld Welch Type)
	YT 172/T	20	RT 349	13"	SY 284/T	8"	4"		TATA 2518 (Weld Welch Type)
<b>RSB 490 (48 x 135) UJ 908</b>	YT 140/T	30	RT 350	13"	SY 243/T	8"	4"		TATA 4018 Short
	YT 141/T	30	RT 351	14½"	SY 247/T	9½"	4"		TATA 4018 Medium
	YT 150/T	30	RT 363	16"	SY 255/T	10½"	4"		TATA 4018 Long
	YT 173/T	30	RT 351	14½"	SY 282/T	9"	4"		TATA 4018 (Weld Welch Type)
<b>SPR 2040 (47.62 x 135) UJ 909</b>	YT 155/T	34	RT 380	11½"	SY 265/T	7½"	4¾"	SDSY 2040 SL 110	TATA 4028, 3128 Bharat Benz. 2523 Man 18.28, Eicher
	YT 156/T	34	RT 381	14½"	SY 267/T	10½"	4"	SDSY 2040 IAL 346	TATA 4928, Bharat Benz. 2523, 2528
	YT 166/T	34	RT 381	14½"	SY 274/T	8½"	4"	SDSY 2040 SSL 160L	TATA 4028, 3128 Bharat Benz. 2523 Man 18.28, Eicher
	YT 167/T	34	RT 381	14½"	SY 275/T	9½"	4"	SDSY 2040 SSL 180L	TATA 4028, 3128 Bharat Benz. 2523 Man 18.28, Eicher
	YT 174/T	34	RT 395	12"	SY 277/T	7¾"	4"	SDSY 2040 SSL 140	TATA 4028, 3128 Bharat Benz. 2523 Man 18.28, Eicher





## Complete Long Fork & Sleeve Bottle Set



Series & Cross	Part No.	No. of Teeth	 Part No.	Long Fork Length	 Part No.	Rear Housing Length	Pipe Dia	Ref. O.E.M.	Application
RSB 585 (48 x 154) UJ 918	YT 175/T	30	RT 398	14½"	SY 286/T	9¼"	4"		TATA 2523, L/L 4923
	YT 176/T	30	RT 398	14½"	SY 287/T	8"	4"		TATA 2523, L/L 4923
RSB 590 (52 x 147) UJ 910	YT 151/T	36	RT 365	15"	SY 258/T	8½"	4½"		TATA 3723, 4027, 2630, 2523, 2532
	YT 152/T	36	RT 366	16"	SY 258/T	8½"	4½"		TATA 3723, 4027, 2630, 2523, 2532
	YT 170/T	30	RT 373	14"	SY 280/T	9"	4"		TATA 3723, 4027, 2630, 2523, 2532
	YT 177/T	30	RT 394	13"	SY 281/T	8"	4"		TATA 3723, 4027, 2630, 2523, 2532
SPR 2045/2047 (52 x 147) UJ 910	YT 157/T	38	RT 382	15½"	SY 269/T	8"	4¾"		TATA 4028, 3128 Bharat Benz. 2523 Man 18.28, Eicher
	YT 158/T	38	RT 383	12¼"	SY 279/T	9¼"	4¾"		TATA 1828, 2138 Eicher 25T
	YT 178/T	38	RT 382	15½"	SY 278/T	11"	4¾"		TATA 1828, 2138 Eicher 25T
RSB 620 (57 x 152) UJ 911	YT 153/T	36	RT 362	14½"	SY 253/T	8"	4¾"		TATA 2523, 2528
SPR 2055 (57 x 152) UJ 911	YT 159/T	38	RT 384	13"	SY 271/T	8½"	4¾"		TATA 1628, 2038 Bharat Benz.
SPR 2060 (59 x 167.7) UJ 919	YT 160/T	40	RT 371	13¼"	SY 261/T	8"	5"		TATA 3138, L/L 2636, Eicher 40T
SPR 2065 (65 x 172) UJ 920	YT 179/T	32	RT 396	14"	SY 285/T	8"	5"		TATA 2528, L/L 4928
SPR SPL 90 (41.27 x 126) UJ 903	YT 154/T	20	RT 385	12½"	SY 241/T	7"	4"		L/L 3516










## Rear Housing / Sleeve Bottles (Teflon Coated)





Series & Cross	Part No.	Part No. (Teflon)	No. of Teeth	Type	Total Length (A)	Pipe Dia (B)	Spline Dia	 Part No.	 Part No.	Ref. O.E.M.	Application
RSB 325 (42 x 119) UJ 906	SY 240	SY 240T	20	A	7"	3½"	2"	RT 337	RT 347	F 540 325 084 180, 2632 4112 5109	TATA 2515 Ex. 1613, Short
	SY 259	SY 259T	20	A	10¼"	3½"	2"	RT 343	RT 352	F 556 325 084 220	TATA 2515 Ex. Long
	SY 257	SY 257T	24	A	8"	4"	2"	RT 359	RT 364	F 542 325HS104 195	TATA 1512 LPO
RSB 403 (42 x 129) UJ 907	SY 241	SY 241T	20	A	7"	4"	2"	RT 339 RT 337 RT 355	RT 349 RT 347 RT 385	F 541 325 094 180, 2171 4112 5106	TATA 2518 Short
	SY 242	SY 242T	20	A	9"	4"	2"	RT 338	RT 348	F 556 403 095 220	TATA 2518 Medium
	SY 249	SY 249T	20	A	10"	4"	2"	RT 354	RT 356		TATA 2518 Long
	SY 283	SY 283T	20	B	9"	4"	2"	RT 338	RT 348		TATA 2518 Long (Weld Welch Type)
	SY 284	SY 284T	20	B	8"	4"	2"	RT 339	RT 349		TATA 2518 (Weld Welch Type)
RSB 490 (48 x 135) UJ 908	SY 243	SY 243T	30	A	8"	4"	2½"	RT 340	RT 350	F 540 490 095 268, 2167 4112 5104	TATA 4018 Short
	SY 247	SY 247T	30	A	9½"	4"	2½"	RT 341	RT 351	F 556 490 095 268	TATA 4018 Medium
	SY 255	SY 255T	30	A	10½"	4"	2½"	RT 357	RT 363	F 552 490 091 268	TATA 4018 Long
	SY 282	SY 282T	30	B	9"	4"	2½"	RT 341	RT 351		TATA 4018 (Weld Welch Type)
SPR 2040 (47.62 x 135) UJ 909	SY 265	SY 265T	34	A	7½"	4¾"	2½"	RT 375	RT 380	6687 4070 8020 40261	TATA 4928, 4028, 3128, Bharat Benz. 2523, 2528, Eicher
	SY 267	SY 267T	34	A	10½"	4"	2½"	RT 376	RT 381	6687 4077 8020 30348	TATA 4928, 4028, 3128, Bharat Benz. 2523, 2528, Eicher
	SY 274	SY 274T	34	B	8½"	4"	2½"	RT 376	RT 381		TATA 4928, 4028, 3128, Bharat Benz. 2523, 2528, Eicher
	SY 275	SY 275T	34	B	9½"	4"	2½"	RT 376	RT 381		TATA 4928, 4028, 3128, Bharat Benz. 2523, 2528, Eicher
	SY 277	SY 277T	34	B	7¾"	4"	2½"	RT 374	RT 395		TATA 4928, 4028, 3128, Bharat Benz. 2523, 2528, Eicher






## Rear Housing / Sleeve Bottles (Teflon Coated)



Series & Cross	Part No.	Part No. (Teflon)	No. of Teeth	Type	Total Length (A)	Pipe Dia (B)	Spline Dia	 Part No.	 Part No.	Ref. O.E.M.	Application
RSB 585 (48 x 154) UJ 918	SY 286	SY 286T	30		9¼"	4"	2½"	RT 397	RT 398		TATA 2523, L/L U4923
	SY 287	SY 287T	30		8"	4"	2½"	RT 397	RT 398		TATA 2523, L/L U4923
RSB 590 (52 x 147) UJ 910	SY 258	SY 258T	36	A	8½"	4½"	3"	RT 360 RT 361	RT 365 RT 366		TATA 4028, 3128 Bharat Benz. 2523 Man 18.28, Eicher
	SY 280	SY 280T	30	B	9"	4"	2½"	RT 369	RT 373		TATA 4028, 3128 Bharat Benz. 2523 Man 18.28, Eicher
	SY 281	SY 281T	30	B	8"	4"	2½"	RT 369	RT 373		TATA 4028, 3128 Bharat Benz. 2523 Man 18.28, Eicher
SPR 2045/2047 (52 x 147) UJ 910	SY 269	SY 269T	38	A	8"	4¾"	2½"	RT 377 RT 378	RT 382 RT 383	6687 4570 8020 30273	TATA 3723, 4027, 2630
	SY 278	SY 278T	38	A	11"	4½"	3"	RT 377 RT 378	RT 382 RT 383		TATA 3723, 4027, 2630
	SY 279	SY 279T	38	A	9¼"	4½"	3"	RT 377 RT 378	RT 382 RT 383		TATA 3723, 4027, 2630
RSB 620 (57 x 152) UJ 911	SY 253	SY 253T	36	A	8"	4¾"	3"	RT 353	RT 362	F 550 620 112 200	TATA 2523, 2528, 3128
SPR 2055 (57 x 152) UJ 911	SY 271	SY 271T	38	A	8½"	4¾"	3"	RT 379	RT 384	6667 5570 8020 00299	TATA 1628, 2038 Bharat Benz.
SPR 2060 (59 x 167.7) UJ 919	SY 261	SY 261T	40	A	8"	5"	3"	RT 368	RT 371	6687 6070 8020 00310	TATA 3138, L/L 2636, Eicher 40T
SPR 2065 (65 x 172.7) UJ 920	SY 285	SY 285T	32	A	8"	5"	3"	RT 393	RT 396		TATA 2528, L/L 4928
SPR SPL 90 (41.27 x 126) UJ 903	SY 245	SY 245T	16	A	10"	4"	2½"	RT 336		INSKU 100727	TATA L/L 1710 Series Interaxle






## Long Fork (With & Without Dust Cover)



Series & Cross (B x C)	Without Dust Cover Part No.	With Dust Cover Part No.	No. of Teeth	Total Length (A)	Spline Dia (D)	Part No.	Part No.	Ref. O.E.M.	Application
RSB 325 (42 x 119) UJ 906	RT 337	RT 347	20	12½"	2"	SY 240/T SY 241/T	OI 860	F 570 325 055 317, 2632 4112 5103	TATA 1613, 1615, 2515 Ex. Short
	RT 343	RT 352	20	15¾"	2"	SY 259/T	OI 865	F 571 325 055 366	TATA 2516, 2515 Long
	RT 359	RT 364	24	12"	2"	SY 257/T	OI 860	F 573 325 HS0 50271	TATA LPO 1512
RSB 403 (42 x 129) UJ 907	RT 339	RT 349	20	13½"	2"	SY 241/T SY 284/T	OI 869	F 570 403 055 296, 2171 4112 5107	TATA 2518 Short
	RT 338	RT 348	20	14½"	2"	SY 242/T SY 283/T	OI 865	F 574 403 055 338	TATA 2518 Medium
	RT 354	RT 356	20	16"	2"	SY 249/T	OI 865	F 571 403 055 376	TATA 2518 Long
RSB 490 (48 x 135) UJ 908	RT 340	RT 350	30	13"	2½"	SY 243/T	OI 861	F 570 490 066 298, 2167 4112 5103	TATA 4018 Short
	RT 341	RT 351	30	14½"	2½"	SY 247/T SY 282/T	OI 866	F 571 490 062 335	TATA 4018 Medium 3118
	RT 357	RT 363	30	16"	2½"	SY 255/T	OI 866	F 573 490 062 373	TATA 4018 Long
SPR 2040 (47.62 x 135) UJ 909	RT 374	RT 395	34	12"	2½"	SY 277/T	OI 861		TATA 4021, L/L 4928, 4028, 3128
	RT 375	RT 380	34	11½"	2½"	SY 265/T	OI 861	6687 4070 8020 40261	TATA 4021, L/L 4928, 4028, 3128
	RT 376	RT 381	34	14½"	2½"	SY 267/T SY 274/T SY 275/T	OI 866	6687 4077 8021 30348	TATA 4928, 3138, 2528, L/L 3118, 4028 Bharat Benz. 2523, 3128, 4928
RSB 585 (48 x 154) UJ 918	RT 397	RT 398	30	14½"	2½"	SY 286/T SY 287/T	OI 866	F 576 585 062 337	TATA 2523, L/L 4923






## Long Fork (With & Without Dust Cover)



Series & Cross (B x C)	Without Dust Cover Part No.	With Dust Cover Part No.	No. of Teeth	Total Length (A)	Spline Dia (D)	Part No.	Part No.	Ref. O.E.M.	Application
RSB 590 (52 x 147) UJ 910	RT 360	RT 365	36	15"	2¾"	SY 258/T	OI 883	F 572 590 095 344	TATA 3723, 4027, 2630, 2523, 2525
	RT 361	RT 366	36	16"	2¾"	SY 258/T	OI 884	F 576 590 075 338	TATA 3723, 4027, 2630, 2523, 2525
	RT 369	RT 373	30	14"	2½"	SY 280/T	OI 866		TATA 3723, 4027, 2630, 2523, 2525
	RT 392	RT 394	30	13"	2½"	SY 281/T	OI 866		TATA 3723, 4027, 2630, 2523, 2525
SPR 2045/2047 (52 x 147) UJ 910	RT 377	RT 382	38	15½"	2½"	SY 269/T	OI 883	6687 4577 8020 403	TATA 4028, L/L 3123, Bharat Benz. 2523, Eicher, Terra25T, Man 18.28
	RT 378	RT 383	38	12¼"	2½"	SY 269/T	OI 884	6687 4570 8020 302	TATA 4923, AMW, 3123
RSB 620 (57 x 152) UJ 911	RT 353	RT 362	36	14½"	3"	SY 253/T	OI 884	F 570 620 716 365	TATA 1828, 2138, L/L 3123, Eicher 25T, Man 18.28
SPR 2055 (57 x 152) UJ 911	RT 379	RT 384	38	13"	3"	SY 271/T	OI 884	6687 5570 8020 00294	TATA 1628, 2038, L/L 4936, Bharat Benz. 1628, 2038,
SPR 2060 (59 x 167.7)	RT 368	RT 371	40	13¼"	3"	SY 261/T	OI 884	6687 6070 8020 00310	TATA 3138, L/L 2636, Eicher 40T, Man 31.28
SPR 2065 (65 x 172) UJ 920	RT 393	RT 396	32	14"	3"	SY 285/T	OI 884		TATA 2528, L/L 4928
SPR SPL 90 (41.27 x 126) UJ 903	RT 355	RT 385	20	12½"	2"	SY 241/T	OI 860		L/L 3516






## Dust Cover With Seal

DOWNLOAD APP  
KKI AUTOS



Series	Part No.	Total Length		Ref. O.E.M.	Application
RSB 325	OI 860	5¼"	RT 337, RT 359, RT 355	F 621 325 081 140/2171 4112 0128	Medium
RSB 403	OI 869	6½"	RT 339		Long
	OI 865	8¼"	RT 343, RT 338, RT 354		Short
RSB 490   SPR 2040   SPR 2045   SPR 2047	OI 861	5"	RT 340, RT 374, RT 375	F 621 490 089 130/2846 4112 0103	Long
	OI 866	6½"	RT 341, RT 357, RT 369, RT 376, RT 392, RT 397,		
RSB 590   SPR 2055 RSB 620   SPR 2060	OI 883	5"	RT 360, RT 377		
	OI 884	6½"	RT 361, RT 378, RT 353, RT 379, RT368, RT 393		



## Half Yoke & Rear Housing Assembly



UJ Cross	Part No.	No. of Teeth	Total Length	Ref. Part Nos.	Application
SPR (41.27x126) UJ 903	OI 876	16	14"	HY 554 + RT 336	Long Yoke AMW 2518 Interaxle Shaft
	OI 877	16	15"	HY 554 + RT 336	Long Yoke AMW 2518 Interaxle Shaft
RSB 403 (42x129) UJ 907	OI 878	20	14"	HY 551 + SY 242	Sleeve Bottle AMW 2518 Interaxle Shaft
	OI 879	20	15½"	HY 551 + SY 249	Sleeve Bottle AMW 2518 Interaxle Shaft
	OI 880	20	12"	HY 551 + SY 241	Sleeve Bottle AMW 2518 Interaxle Shaft
	OI 881	20	13"	HY 551 + SY 242	Sleeve Bottle AMW 2518 Interaxle Shaft
RSB 490 (48x135) UJ 908	OI 882	30	15"	HY 541 + SY 255	Sleeve Bottle TATA 4018, 3118
	OI 889	30	14¾"	HY 556 + SY 255	Sleeve Bottle TATA 4018, 3118
	OI 897	30	13¾"	HY 541 + SY 247	Sleeve Bottle TATA 4018, 3118
SPR 2040 (47.62x135) UJ 909	OI 898	34	14¾"	HY 558 + SY 275	Sleeve Bottle TATA 3118
	OI 8001	34	13¾"	HY 558 + SY 274	Sleeve Bottle TATA 3118
RSB 590 (52x147) UJ 910	OI 8002	30	14"	HY 560 + SY 280	Sleeve Bottle TATA 4928
	OI 8003	30	13"	HY 560 + SY 281	Sleeve Bottle TATA 4928





## Yoke & Teeth Set/Teflon Coated






Series & Cross	Part No.	No. of Teeth	 Part No.	Sleeve York Length	 Part No.	Rear Teeth Length	Pipe Dia	Ref. O.E.M.	Application
<b>1312 (46.0) UJ 901</b>	YT 101	16	SY 202	10½"	RT 301	11½"	84mm		TATA 1312/1612/1510/2416
	YT 102	24	SY 203	10½"	RT 302	11½"	84mm		TATA 1613 Turbo
	YT 104	16	SY 205	12½"	RT 304	13½"	84mm		TATA 1312 Long
<b>1210 (38.0) UJ 902</b>	YT 109	10	SY 210	8½"	RT 310	9"	3"		TATA 1210 SE
	YT 110	10	SY 212	8"	RT 311	9"	64mm		TATA 1210
	YT 143/T	22	SY 251	8"	RT 345/T	10"	64mm		TATA 1210 N/M
<b>SPL 90, L/L 2214 (41.27 x 126) UJ 903</b>	YT 106/T	30	SY 207	12"	RT 306/T	10½"	4"	INSKU 100257/100276	TATA 2515/2518, L/L 2214/3516/4018 (Thin Splines)
	YT 107	30	SY 207	12"	RT 307	10½"	3½"	INSKU 100256/100524	TATA LPK 2516
	YT 116/T	16	SY 226	12"	RT 317/T	10½"	4"		TATA 2515/2518, L/L 2214 (Thick Splines)
	YT 119	30	SY 228	10"	RT 320	9"	4"	INSKU 100259/100275	L/L 8" (Thin Splines)
	YT 120	16	SY 221	10"	RT 321	9"	4"		L/L 8" (Thick Splines)
	YT 121	16	SY 221	10"	RT 323	9"	3½"		TATA 1613 (Thick Splines)
	YT 122	30	SY 228	10"	RT 322	9"	3½"		TATA 1613 (Thin Splines)
YT 135/T	16	SY 248	14¼"	RT 336/T	12"	4"		TATA L/L Interaxle 1710 Series	
<b>4018 Patti Type (49.20 x 154.90) UJ 905</b>	YT 108/T	16	SY 208	11¼"	RT 309/T	10½"	4"	6-3-2671 KX/6-40-541	TATA 4018
	YT 132/T	16	SY 237	13"	RT 336/T	12"	4"	6-3-2651 KX/6-40-521	TATA 4018 Long
<b>Tusker (34.92 x 126.20) UJ 904</b>	YT 103	16	SY 204	12½"	RT 303	11½"	3½"	INSKU 100377/100370	TATA Hywa (Conv. from 28 to 16 Spl.)
	YT 117	16	SY 229	14"	RT 342	12½"	3½"		TATA Interaxle (Thick Splines)
	YT 125/T	16	SY 233	8"	RT 324/T	8"	3"		Tusker 3"
	YT 126/T	16	SY 233	8"	RT 326/T	8"	3½"		Tusker 3½"
	YT 130/T	16	SY 238	9¾"	RT 334/T	9¼"	3½"		L/L 1613 Turbo
	YT 133/T	16	SY 239	11"	RT 335/T	10"	3½"		L/L E-comet / Stag
YT 134/T	16	SY 244	13½"	RT 336/T	12"	4"		TATA L/L Interaxle 1710 Series	





## Yoke & Teeth Set/Teflon Coated




Series & Cross	Part No.	No. of Teeth	 Part No.	 Sleeve York Length	 Part No.	Rear Teeth Length	Pipe Dia	Ref. O.E.M.	Application
<b>Tusker</b> (34.92 x 126.20) UJ 904	YT 142/T	16	SY 250	9½"	RT 344/T	11"	3½"		TATA 1109 (Conv. 28 to 16 Spl.)
	YT 146/T	16	SY 264	8"	RT 314/T	9"	3"		TATA 412 N/M
	YT 161/T	16	SY 272	12¼"	RT 387/T	10½"	3½"		EICHER TERRA (Conv. 28 to 16 Spl.)
<b>L/L 370</b> (39.68x 115.40) UJ 912	YT 123/T	16	SY 231	8"	RT 324/T	8"	3"		L/L 350/370, 3"
	YT 124/T	16	SY 231	8"	RT 326/T	8"	3½"		L/L 350/370, 3.5"
<b>Taurus (47.62 x 135)</b> UJ 909	YT 118/T	16	SY 235	9½"	RT 317/T	10½"	4"		L/L 2214, MSL Shaft
	YT 127	16	SY 235	9½"	RT 331	8¾"	3½"		L/L Taurus
<b>407 (30 x 81.8)</b> UJ 913	YT 111	16	SY 215	6½"	RT 312	6¾"	2½"		TATA 407
	YT 113	16	SY 215	6½"	RT 315	9"	2½"		TATA 407 Turbo N/M
<b>Canter</b> (30.17 x 106.30) UJ 914	YT 114/T	16	SY 217	7½"	RT 314/T	9"	3"		TATA 407 Turbo Ex / 709 / 909
	YT 129/T	16	SY 217	7½"	RT 333/T	6½"	3"		Canter N/M
	YT 145/T	16	SY 263	7¾"	RT 372/T	9"	3"		TATA 407 N/M
	YT 128/T	16	SY 217	7½"	RT 330/T	8"	3"		Canter N/M (Long)
<b>Pickup</b> (34.92 x 106.35) UJ 916	YT 144/T	16	SY 252	8"	RT 346/T	8"	3½"		TATA 407 Pickup MSL 1480 Series
	YT 147/T	16	SY 268	9"	RT 386/T	8½"	3½"		TATA 407 Pickup Long
	YT 168/T	22	SY 276	9"	RT 391/T	8½"	3½"		TATA 407 Pickup
	YT 169/T	16	SY 252	8"	RT 367	8"	3"		TATA 407 Pickup MSL 1480 Series
<b>DCM (30.17 x 92)</b> UJ 905	YT 131/T	16	SY 218	6¾"	RT 319/T	8"	3"		TATA 407 Turbo MSL Type
<b>JEEP (27 x 81.80)</b> UJ 917	YT 112/T	16	SY 216	6½"	RT 313/T	7¾"	2½"		TATA 207 DI/Bolero (Spicer Type)
	YT 115/T	16	SY 262	6"	RT 370/T	5½"	2½"		Jeep Max
	YT 162/T	16	SY 262	6"	RT 390/T	6"	2½"		Maxi
	YT 163/T	16	SY 262	6"	RT 388/T	8"	2½"		Bolero
	YT 164/T	16	SY 273	6½"	RT 389/T	6¼"	3"		Pickup 6"





## Sleeve Yoke / Slip Yoke Assly.




Series & Cross (A x B)	Part No.	No. of Teeth	Total Length (C)	Spline Dia	Part No.	Ref. O.E.M.	Application
1312 (46 mm) UJ 901	SY 202	16	10½"	2"	RT 301	2576 4112 5104	TATA 1312/1612
	SY 205	16	12½"	2"	RT 304		TATA 1312 LONG
	SY 203	24	10½"	2"	RT 302		TATA 1613 TURBO/1109
1210 (38 mm) UJ 902	SY 210	10	8½"	1¾"	RT 310	312 410 2108	TATA 1210 SE
	SY 212	10	8"	1¾"	RT 311 RT 329	312 410 1908	TATA 1210
	SY 251	22	8"	2"	RT 345		TATA 1210 New Model/709/909
SPL 90, L/L 2214 (41.27 x 126) UJ 903	SY 207	30	12"	2"	RT 306/T RT 307	INSKU 100257	10" (Thin Splines) L/L 2214, 2516, 3516, 4018/TATA 2515 EX, 2518/EICHER <b>(Heavy Duty Steel Forged)</b>
	SY 228	30	10"	2"	RT 320 RT 322		L/L 8", 3516/3014/4018, TATA 1616/1613
	SY 226	16	12"	2"	RT 308 RT 317/T	5016040	10" (Thick Splines) TATA 2515EX, L/L 2214, <b>(Heavy Duty Steel Forged)</b>







## Sleeve Yoke / Slip Yoke Assly.





Series & Cross (A x B)	Part No.	No. of Teeth	Total Length (C)	Spline Dia	Part No.	Ref. O.E.M.	Application
SPL 90, L/L 2214 (41.27 x 126) UJ 903	SY 221	16	10"	2"	RT 321, RT 323		L/L 8" (Thick Splines)
	SY 248	16	14¼"	2½"	RT 336/T, RT 358	501734-3	TATA L/L Interaxle 1710 Series <b>(With Rubber Cup Threaded)</b>
	SY 256	16	12½"	2½"	RT 336/T	5013734-2	AMW 2518, Interaxle Shaft <b>(With Rubber Cup Threaded)</b>
Tusker (34.92 x 126.20) UJ 904	SY 204	16	12½"	1¾"	RT 303	INSKU 100377	TATA Hywa 2515/3516 <b>(Converted from 28 to 16 Spl.) (Heavy Duty Steel Forged)</b>
	SY 229	16	14"	2"	RT 342		TATA Interaxle (Thick Splines)
	SY 233	16	8"	1¾"	RT 324/T, RT 326/T	P 15000 432	L/L Tusker, TATA 1510 TC
	SY 238	16	9¾"	1¾"	RT 334/T	4-3-2641 X	L/L 1613 Turbo, Euro II
	SY 239	16	11"	1¾"	RT 335/T	4-3-1431 KX	L/L E-comet/Stag
	SY 244	16	13½"	2½"	RT 336/T	4-3-0110 X	TATA L/L Interaxle, 1710 Series <b>(With Rubber Cup Threaded)</b>





## Sleeve Yoke / Slip Yoke Assly.




Series & Cross (A x B)	Part No.	No. of Teeth	Total Length (C)	Spline Dia	 Part No.	Ref. O.E.M.	Application
Tusker (34.92 x 126.20) UJ 904	SY 250	16	9½"	1¾"	RT 344/T	5015802	TATA 1109 <b>(Converted from 26 to 16 Splines)</b>
	SY 264	16	8"	1½"	RT 314/T		TATA 407 N/M, 412
	SY 272	16	12¼"	2"	RT 387/T	4-3-2331 X	Eicher Terra <b>(Converted from 28 to 16 Splines)</b>
4018 Patti Type (49.20 x 154.80) UJ 905	SY 208	16	11¼"	2½"	RT 309/T	6-3-2671 KX	TATA 4018, L/L 2516, <b>(With Rubber Cup Threaded)</b>
	SY 237	16	13"	2½"	RT 336/T	6-3-2651 KX	TATA 4018 Long, 3118, 2518, AMW 2518, Man25T <b>(With Rubber Cup Threaded)</b>
Taurus (47.62 x 135) UJ 909	SY 235	16	9½"	2"	RT 331	MSL SKU 5055	L/L Taurus
L/L 370 (39.68 x 115.40) UJ 912	SY 231	16	8"	1¾"	RT 324/T, RT 326/T	K4-3GB-538	Bedford, J4/J6, L/L 370/350
TATA 407 (30 x 81.80) UJ 913	SY 215	16	6½"	1½"	RT 312/T, RT 315/T	2651 4110 0125	TATA 407/407 Turbo N//M





## Sleeve Yoke / Slip Yoke Assly.




Series & Cross (A x B)	Part No.	No. of Teeth	Total Length (C)	Spline Dia	Part No.	Ref. O.E.M.	Application
Canter (30.17 x 106.30) UJ 914	SY 217	16	7½"	1½"	RT 333/T, RT 314/T RT 330/T	3-3-118 KX	Canter / TATA 407 Turbo Ex /709/909
	SY 263	16	7¾"	1½"	RT 372	3-3-20214	TATA 407 MSL Type New Model
DCM (30.17 x 92) UJ 915	SY 218	16	6¾"	1½"	RT 319	MSL 3320207	TATA 407 N/M MSL Type
Pickup (34.92 x 106.35) UJ 916	SY 252	16	8"	1½"	RT 346/T		TATA 407 PICKUP N/M, MSL Type, 1480 Series
	SY 268	16	9"	1½"	RT 386/T		TATA 407 PICKUP N/M, MSL Type (Long)
	SY 276	22	9"	1½"	RT 391/T		TATA 407 PICKUP N/M, MSL Type, 1480 Series
TATA Ace (23.82 x 34.90) TATA Ace Magic (22 x 55)	SY 219	22	6¼"	1"		INSKU 100743	TATA ACE
	SY 220	22	5¾"	1"			TATA ACE N/M, Magic
Jeep (27 x 81.80) UJ 917	SY 216	16	6½"	1½"	RT 313/T		TATA 407 Turbo O/M, 207/Bolero (Spicer Type)
	SY 262	16	6"	1¼"	RT 370/T RT 390/T		Jeep Max Maxi
	SY 273	16	6½"	1¼"	RT 388/T RT 389/T		Bolero Pickup 6"















# Rear Teeth / Slip Stub Shaft (Teflon Coated)

**BENEFITS OF COATING** ① Self Greased for Life Time ② Noise Less ③ Exceptional Abrasion Resistance




Suitable For	Part No.	Part No. (Teflon)	Total Length (A)	Pipe Dia (B)	Spline Dia	 Part No.	Ref. O.E.M.	Application	
1312 (46 mm) UJ 901	16 Splines	RT 301	11½"	84 mm	2"	SY 202		TATA 1312/1612/2213/1510	
	24 Splines	RT 302	11½"	84 mm	2"	SY 203		TATA 1613 Turbo/1109	
	10 Splines	RT 310	9"	3"	1¾"	SY 210	312 411 1702	TATA 1210 SE	
1210 (38 mm) UJ 902	10 Splines	RT 311	9"	64 mm	1¾"	SY 212	312 411 1702	TATA 1210	
	22 Splines	RT 345	10"	64 mm	2"	SY 251		TATA 1210 N/M	
		RT 329	8¼"	64 mm	1¾"	SY 212		TATA 407/1210 Converted	
SPL 90, L/L 2214 (41 x 126) UJ 903	30 Splines	RT 306	10½"	4"	2"	SY 207	INSKU 100276	10" (Thin Splines), TATA 2515/2518, L/L 2214, 3516	
		RT 307	10½"	3½"	2"	SY 207	INSKU 100524	TATA LPK 10"	



# Rear Teeth / Slip Stub Shaft (Teflon Coated)

**BENEFITS OF COATING** ① Self Greased for Life Time ② Noise Less ③ Exceptional Abrasion Resistance

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store



Suitable For	Part No.	Part No. (Teflon)	Total Length (A)	Pipe Dia (B)	Spline Dia	Part No.	Ref. O.E.M.	Application
SPL 90, L/L 2214 (41 x 126) UJ 903	30 Splines							
	RT 320		9"	4"	2"	SY 228	INSKU 100257	L/L 8"/3516, 3014/4018, TATA 1616
	RT 322		9"	3½"	2"	SY 228		TATA 1613
	RT 308		10½"	3½"	2"	SY 226		TATA LPK 10" (Thick Splines)
	RT 317	RT 317T	10½"	4"	2"	SY 226	50 160 42	10" (Thick Splines) TATA 2515 EX/2518, L/L 2214/3516 ( <b>Full Splines</b> )
	RT 321		9"	4"	2"	SY 221	K	L/L 8" (Thick Splines)
	RT 323		9"	3½"	2"	SY 221		TATA 1613 (Thick Splines)
	16 Splines	RT 336	RT 336T	12"	4"	2½"	SY 248 SY 256	6-40-521
RT 358		RT 358T	13"	4"	2½"	SY 248		TATA 4018 Extra Long
16 Splines								
Tusker (34.92 x 126) UJ 904	RT 303		11½"	3½"	1¾"	SY 204	INSKU 100370	TATA HYWA <b>(Converted from 28 to 16 Splines)</b>
	RT 342		12½"	3½"	2"	SY 229		TATA Interaxle (Thick Splines), 3118







# Rear Teeth / Slip Stub Shaft (Teflon Coated)

**BENEFITS OF COATING** ① Self Greased for Life Time ② Noise Less ③ Exceptional Abrasion Resistance

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store



Suitable For	Part No.	Part No. (Teflon)	Total Length (A)	Pipe Dia (B)	Spline Dia	 Part No.	Ref. O.E.M.	Application
Tusker 16 Splines (34.92 x 126) UJ 904	RT 324	RT 324T	8"	3"	1 3/4"	SY 233	K4-42-GB-1791	L/L Tusker, Full Splines
	RT 326	RT 326T	8"	3 1/2"	1 3/4"	SY 233	K4-42-GB-1801	L/L Tusker, Full Splines
	RT 334	RT 334T	9 1/4"	3 1/2"	1 3/4"	SY 238	4-40-1071	L/L 1613 Turbo, E-comet/Stag
	RT 335	RT 335T	10"	3 1/2"	1 3/4"	SY 239	4-40-721	L/L E-comet/Stag
	RT 336	RT 336T	12"	4"	2 1/2"	SY 244	6-40-521	TATA L/L Interaxle 1710 Series <b>(Long Splines)</b>
Tusker 16 Splines (34.92 x 126) UJ 904	RT 344	RT 344T	11"	3 1/2"	1 3/4"	SY 250	5015803	TATA 1109 <b>(Converted From 26 To 16 Splines)</b> , Bearing No 88509
	RT 314	RT 314T	9"	3"	1 1/2"	SY 264	INSKU 100214	TATA 709/909 Ex Bearing No 88508
	RT 387	RT 387T	10 1/2"	3 1/2"	2"	SY 272	4-40-961	Eicher Terra <b>(Converted From 28 To 16 Splines)</b>









# Rear Teeth / Slip Stub Shaft (Teflon Coated)

**BENEFITS OF COATING** ① Self Greased for Life Time ② Noise Less ③ Exceptional Abrasion Resistance

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play Download on the App Store




Suitable For	Part No.	Part No. (Teflon)	Total Length (A)	Pipe Dia (B)	Spline Dia	 Part No.	Ref. O.E.M.	Application	
4018 Pati Type 16 Splines (49.20 x 154.80) UJ 905	RT 309	RT 309T	10½"	4"	2½"	SY 208	6-40-541	TATA 4018 /AMW	
	RT 336	RT 336T	12"	4"	2½"	SY 237	6-40-521	TATA 4018 Long, 3118 <b>(Long Splines)</b>	
L/L 370 16 Splines (39.67 x 115.40) UJ 912	RT 324	RT 324T	8"	3"	1¾"	SY 231	K4-42-GB 1791	L/L 350/370, Full Splines	
	RT 326	RT 326T	8"	3½"	1¾"	SY 231	K4-42-GB 1801	L/L 350/370, Full Splines	
Taurus 16 Splines (47.62 x 134.90) UJ 909	RT 331		8¾"	3½"	2"	SY 235		L/L Taurus	
TATA 407 16 Splines (30 x 81.80) UJ 913	RT 312		6¾"	2½"	1½"	SY 215		TATA 407	
	RT 315	RT 315T	9"	2½"	1½"	SY 215		TATA 407 Turbo N/M Bearing No. 88507, MSL Type	
DCM 16 Splines (30.17 x 92mm) UJ 915	RT 319	RT 319T	8"	3"	1½"	SY 218		TATA 407 N/M MSL Type, Bearing No. 88507	











# Rear Teeth / Slip Stub Shaft (Teflon Coated)

**BENEFITS OF COATING** ① Self Greased for Life Time ② Noise Less ③ Exceptional Abrasion Resistance

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store



Suitable For	Part No. (Teflon)	Total Length (A)	Pipe Dia (B)	Spline Dia	 Part No.	Ref. O.E.M.	Application	
<b>Canter</b> 16 Splines (30.17 x 106) UJ 914	RT 333	RT 333T	6½"	3"	1½"	SY 217	Eicher Canter (Old Model, Short)	
	RT 330	RT 330T	8"	3"	1½"	SY 217	Eicher Canter (New Model, Long)	
	RT 314	RT 314T	9"	3"	1½"	SY 217	INSKU 100214 TATA 407 Turbo Ex Bearing No. 88508	
	RT 372	RT 372T	9"	3"	1½"	SY 263	3-3-40917 TATA 407 MSL Type N/M Bearing No. 88507	
<b>Pickup</b> 16 Splines (34.92 x 106) UJ 904	RT 346	RT 346T	8"	3½"	1½"	SY 252	TATA 407 Pickup 1480 Series	
	RT 367	RT 367T	8"	3"	1½"	SY 252	TATA 407 Pickup 1480 Series	
	RT 386	RT 386T	8½"	3½"	1½"	SY 268	TATA 407 Pickup (Long) 1480 Series	
	22 Splines	RT 391	RT 391T	8½"	3½"	1½"	SY 276	TATA 407 PICKUP N/M, MSL Type, 1480 Series







# Rear Teeth / Slip Stub Shaft (Teflon Coated)

**BENEFITS OF COATING** ① Self Greased for Life Time ② Noise Less ③ Exceptional Abrasion Resistance

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play Download on the App Store



Suitable For	Part No.	Part No. (Teflon)	Total Length (A)	Pipe Dia (B)	Spline Dia	 Part No.	Ref. O.E.M.	Application
Jeep 16 Splines (27.00 x 81.80) UJ 917	RT 313	RT 313T	7¾"	2½"	1½"	SY 216		TATA 407 Turbo O/M, 207 DI, Bolero (Spicer Type)
	RT 370	RT 370T	5½"	2½"	1¼"	SY 262		Jeep MAX
	RT 388	RT 388T	8"	2½"	1¼"	SY 262		Bolero
	RT 389	RT 389T	6¼"	3"	1¼"	SY 273		Pick Up 6"
	RT 390	RT 390T	6"	2½"	1¼"	SY 262		MAXI





## Sleeve Yoke Assly.



Series & Cross	Part No.	No. of Splines	Reference Part Nos.	Ref. O.E.M.	Application
1312 (46.00) UJ 901	SY 201	16	SY202 + CH601 + UJ 901	2576 4112 0121	TATA 1312/1612/1510/2416/2213
1210 (38.00) UJ 902	SY 209	10	SY210 + CH607 + UJ 902	2573 4112 0109	TATA 1210 SE
	SY 211	10	SY212 + CH607 + UJ 902	312 4102 108	TATA 1210
407 (30.00 x 81.80) UJ 913	SY 213	16	SY215 + CH609 + UJ 914		TATA 407
SPL 90 (41.27 x 126) UJ 903	SY 222	16	SY226 + CH611 + UJ 903		L/L 2214 10" (Thick Splines)
	SY 223	16	SY221 + CH611 + UJ 903		L/L 2214 8" (Thick Splines)
	SY 224	30	SY207 + CH611 + UJ 903		L/L 2214 10" (Thin Splines)
	SY 225	30	SY228 + CH611 + UJ 903		L/L 2214-8" (Thin Splines)
L/L 370 (39.68 x 115.40) UJ 912	SY 230	16	SY231 + CH612 + UJ 912		L/L 350/370
Tusker (34.92 x 126.20) UJ 904	SY 232	16	SY233 + CH613 + UJ 904		L/L Tusker/TATA 1510 TC
Taurus (47.62 x 135) UJ 909	SY 234	16	SY235 + CH614 + UJ 909		L/L Taurus
Canter (30.17 x 106.30) UJ 914	SY 246	16	SY217 + CH610 + UJ 914		TATA 407 Turbo Ex./709/909


## Half Yoke Assly.

Series & Cross	Part No.	Pipe Dia	Reference Part Nos.	Ref. O.E.M.	Application
1312 (46.00) UJ 901	HY 501	72mm	HY503 + CH601 + UJ 901		TATA 1312 (72mm)
	HY 502	90mm	HY504 + CH601 + UJ 901		TATA 1312 (90mm)
1210 (38.00) UJ 902	HY 506	3"	HY507 + CH607 + UJ 902		TATA 1210 SE
	HY 508	2½"	HY509 + CH607 + UJ 902		TATA 1210
407 (30.00 x 81.80) UJ 913	HY 510	2½"	HY511 + CH609 + UJ 913		TATA 407
L/L 370 (39.68 x 115.40) UJ 912	HY 520	3"	HY522 + CH612 + UJ 912		L/L 350/370 3"
	HY 521	3½"	HY523 + CH612 + UJ 912		L/L 350/370 3½"
Tusker (34.92 x 126.20) UJ 904	HY 524	3"	HY526 + CH613 + UJ 904		L/L Tusker 3"
	HY 525	3½"	HY527 + CH613 + UJ 904		L/L Tusker 3½"
Taurus (47.62 x 135) UJ 909	HY 528	3½"	HY529 + CH614 + UJ 909		L/L Taurus





# Front Teeth / Mid Ship Stub Shaft (With Nut)




No. of Splines	Part No.	Total Length (A)	Pipe Dia (B)	Bearing		Ref. O.E.M.	Application
				Dia(mm)	Number		
10 Splines	FT 410	8"	3"	45	6209	P 150 2733	Leyland Tusker 3", L/L 350/370
	FT 411	9"	3½"	45	6209	P 150 2535	Leyland Tusker 3½"
	FT 414	6"	3½"	45	6209	INSKU 100557	Tata 1510 T.C., L/L 1613 Turbo (Heavy Duty)
	FT 418	5½"	3"	40	6208		Eicher Canter
	FT 413	5½"	3"	45	6209	3-53-2211	TATA 709, 909
16 Splines	FT 406	7"	2"	35	6207		TATA 407
	FT 412	7"	3½"	55	6211		Leyland Taurus
	FT 420	7½"	4"	60	6012	6-53-311	TATA 3118
	FT 421	7½"	4½"	60	6012		TATA 4018, 4923
	FT 431	5¾"	3"	40	6208		TATA 709/909, MSL Type





# Front Teeth / Mid Ship Stub Shaft (With Nut)




No. of Splines	Part No.	Total Length (A)	Pipe Dia (B)	Bearing		Ref. O.E.M.	Application
				Dia(mm)	Number		
14 Splines	FT 403	7½"	3"	40	6208	2573 4111 0511	TATA 1210 SE
	FT 405	7½"	2½"	40	6208		TATA 1210
20 Splines	FT 430	6"	4½"	55	6211	SDMT 2045 D 120	TATA 3128, 3123, 3721, 3718, 2523 <b>(Bolt Type)</b>
	FT 432	6½"	4"	60	6012		TATA 2518 <b>(Bolt Type)</b>
26 Splines	FT 401	8"	3"	55	6211		TATA 1312 (72 mm)
	FT 402	8"	3½"	55	6211	2576 4111 5104	TATA 1312 (90 mm), 2416
	FT 415	8"	4"	55	6211	INSKU 100853	TATA 2515/2518/2416 N/M, Big Head
	FT 419	8"	4"	55	6211	F 560 403 095 200 S 296 403 560 647	TATA 2518 RSB Big Head (With Long Collar)
	FT 422	8"	3½"	55	6211		TATA 1616 N/M, (With Long Collar)
	FT 423	7"	4"	65	6013	S 466 490 566 615	TATA 2518 N/M, <b>(Double Step)</b>





# Front Teeth / Mid Ship Stub Shaft (With Nut)




No. of Splines	Part No.	Total Length (A)	Pipe Dia (B)	Bearing		Ref. O.E.M.	Application
				Dia(mm)	Number		
26 Splines	FT 426	6"	4½"	70	6014	SDMT 2055 L 149	TATA 3136, LPT 5252 <b>(Bolt Type)</b>
	FT 427	8"	4"	70	6014		TATA 2518, 2523, 2528 <b>(Bolt Type)</b>
	FT 428	7"	4½"	65	6013		TATA 2518, 2523, 2528
	FT 429	7"	4½"	55	6011		TATA 4923, 3118
	FT 433	7"	4"	65	6013		TATA 2518 N/M, <b>(Single Step)</b>
	FT 434	7½"	4"	65	6013		TATA 2518 N/M, <b>(One Step Bearing)</b>
	FT 439	6"	4"	55	6211		TATA 3118, <b>(Bolt Type)</b>
28 Splines	FT 436	5¾"	3½"	45	6209		TATA 2518
	FT 437	5¼"	4"	45	6209		TATA 3118
30 Splines	FT 425	9"	4½"	75	6015	F 560 620 124 227 S 2466 2056 0615	TATA 4923, 3118





# Front Teeth / Mid Ship Stub Shaft (With Nut)

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store




No. of Splines	Part No.	Total Length (A)	Pipe Dia (B)	Bearing		Ref. O.E.M.	Application
				Dia(mm)	Number		
34 Splines	FT 408	6¾"	4"	45	88509	90-53-31/100551	L/L 2214 (95 mm) <b>(With Long Thread)</b>
	FT 409	6¾"	4"	45	88509	90-53-11	L/L 2214 (97 mm) <b>(With Long Thread)</b>
	FT 416	6½"	4"	55	6211		TATA 2518/3516 <b>(With Long Thread)</b>
	FT 417	6½"	3½"	55	6211	INSKU-90-53-0020	TATA 1616 <b>(With Long Thread)</b>
	FT 424	6½"	3½"	45	88509		TATA 2518 N/M, L/L 3516
	FT 435	5¾"	3½"	45	88509		L/L 1613 Turbo
46 Splines	FT 438	7½"	4"	60	6212		TATA 4018





# Half Yoke / Tube Yoke

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store




Series & Cross (A x B)	Part No.	Pipe Dia (C)	Total Ht. (D)	Ref. O.E.M.	Application	Image	Series & Cross (A x B)	Part No.	Pipe Dia (C)	Total Ht. (D)	Ref. O.E.M.	Application	Image
1312 (46 mm) UJ 901	HY 503	68mm	5¾"		TATA 1312 (72 mm) (Heavy Duty Steel Forged)		SPL 90, L/L 2214 (41.27 x 126) UJ 903	HY 546	4"	5"	90-28-27	L/L 2214 (95 mm) (Heavy Duty Steel Forged)	
	HY 504	84mm	5¾"	2576 4111 5109	TATA 1312 (90 mm) (Heavy Duty Steel Forged)			HY 545	4"	5"	90-28-17	L/L 2214 (97 mm) (Heavy Duty Steel Forged)	
1210 (38 mm) UJ 902	HY 507	3"	5"	2573 4111 5115	TATA 1210 SE (Heavy Duty Steel Forged)		Tusker (34.92 x 126.20) UJ 904	HY 539	3½"	5¼"	INSKU 100232	TATA LPK 2516, 1615 (Heavy Duty Steel Forged)	
	HY 509	64mm	5"	2573 4111 5115	TATA 1210 (Heavy Duty Steel Forged)			HY 554	4"	5½"	90-28-0014	L/L 2214, N/M, Extra Long (Heavy Duty Steel Forged)	
	HY 513	64mm	5"		TATA 407/1210 Converted (Heavy Duty Steel Forged)			HY 526	3"	4¼"	P 150 0114	L/L Tusker 3" (Heavy Duty Steel Forged)	
4018 Patti Type (49.20 x 154.80) UJ 905	HY 505	4"	5½"	6-28-347	TATA 4018/3118/ LPO 1623/1618/1615/1625, L/L 2516/3123/3118, (Heavy Duty Steel Forged)			HY 527	3½"	4¼"	P 150 0114	L/L Tusker 3½", TATA 1510 TC, 412 N/M (Heavy Duty Steel Forged)	
L/L 370 (39.68 x 115.40) UJ 912	HY 522	3"	5"	K4-26-GB-477	L/L 350/370, Bedford J-4, J-6 (Heavy Duty Steel Forged)			HY 533	3½"	4½"	4-28-307	L/L 1613 Turbo, E-Comet/Stag	
	HY 523	3½"	5"	K4-26-GB-547	L/L 350/370, Bedford (Heavy Duty Steel Forged)			HY 542	4"	4½"	INSKU 100963/975	TATA L/L Interaxle 1710 Series, L/L 2516 Tipper (Heavy Duty Steel Forged)	



# Half Yoke / Tube Yoke

**DOWNLOAD APP**  
**KKI AUTOS**  
ANDROID APP ON Google play Download on the App Store




Series & Cross (A x B)	Part No.	Pipe Dia (C)	Total Ht. (D)	Ref. O.E.M.	Application	Image	Series & Cross (A x B)	Part No.	Pipe Dia (C)	Total Ht. (D)	Ref. O.E.M.	Application	Image
RSB 325 (42 x 119) UJ 906	HY 536	3½"	5"	2632 4110 5106	TATA 2515 Ex, 1613 Turbo <b>(Heavy Duty Steel Forged)</b>		RSB 585 (48 x 154) UJ 918	HY 566	4"	6¼"	F 530 585 951102	TATA 2523 L/L 4923	
	HY 555	3½"	5¾"		TATA 2515 Ex, (Long) <b>(Heavy Duty Steel Forged)</b>			HY 529	3½"	6"		L/L Taurus <b>(Heavy Duty Steel Forged)</b>	
	HY 544	4"	5¼"		TATA 2515 Ex <b>(Heavy Duty Steel Forged)</b>		SPR 2040 (47.62 x 135) UJ 909	HY 558	4"	6"	SDTY 2040 ID92	TATA 4928,3138, L/L 3119 N, Bharat Benz 2523, 2528, 4928 TT <b>(Heavy Duty Steel Forged)</b>	
RSB 403 (42 x 129) UJ 907	HY 540	4"	5¼"	2171 4112 5105	TATA 2518 <b>(Heavy Duty Steel Forged)</b>			HY 564	4½"	5½"	SDTY 2040 D114	TATA 4928,3138, L/L 3119 N, Bharat Benz 2523, 2528, 4928 TT <b>(Heavy Duty Steel Forged)</b>	
	HY 551	4"	5¾"		TATA 2518 Interaxle (Long) <b>(Heavy Duty Steel Forged)</b>			HY 549	4½"	6"	S590-28-097	AMW, TATA 4923, 3723, 2523 <b>(Heavy Duty Steel Forged)</b>	
	HY 552	3½"	5¼"		TATA 1616 N/M <b>(Heavy Duty Steel Forged)</b>		RSB 590 (52 x 147) UJ 910	HY 565	4"	6¼"		TATA 4923, 2528	
RSB 490 (48 x 135) UJ 908	HY 541	4"	5½"		TATA 4018 <b>(Heavy Duty Steel Forged)</b>			HY 559	4½"	6¼"	SDTY 2045 D112	TATA 4028, 3128, L/L 3123, Bharat Benz 2523, 4023, Eicher Terra 25T, Man 18.28 <b>(Heavy Duty Steel Forged)</b>	
	HY 556	4"	6"		TATA 4018 (Long) <b>(Heavy Duty Steel Forged)</b>		SPR 2045 (52 x 147) UJ 910	HY 560	4"	6"	SDTY 2045 ID100	TATA 1828, 2138, Eicher Tipper 25T Man 18.28 <b>(Heavy Duty Steel Forged)</b>	





# Half Yoke / Tube Yoke


**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store



Series & Cross (A x B)	Part No.	Pipe Dia (C)	Total Ht. (D)	Ref. O.E.M.	Application	Image	Series & Cross (A x B)	Part No.	Pipe Dia (C)	Total Ht. (D)	Ref. O.E.M.	Application	Image	
RSB 620 (57 x 152) UJ 911	HY 550	4½"	6¼"	5011 4112 5103	AMW, TATA 4923		Pickup (34.92 x 106.35) UJ 916	HY 547	3"	3¾"		TATA 407 Pickup, MSL Type 1480 Series		
SPR 2055 (57 x 152) UJ 911	HY 561	4½"	6½"	SDTY 2055 D108	TATA 1628, 2038, L/L 4939, Bharat Benz 1628, 2038 (Heavy Duty Steel Forged)			HY 548	3½"	3¾"		TATA 407 Pickup, MSL Type 1480 Series		
SPR 2060 (59 x 167.7) UJ 919	HY 562	4½"	6¼"	SDTY 2060 D118	TATA 3138, 2636, Eicher 40T, Man 31.28 (Heavy Duty Steel Forged)			TATA ACE (23.82 x 34.90)	HY 514	1¾"	3¾"		TATA Ace (Heavy Duty Steel Forged)	
SPR 2065 (65 x 172) UJ 920	HY 567	5"	7"	SDTY 2065 D130	TATA 2528 L/L 4928			TATA Ace Magic (22 x 55)	HY 515	1¾"	2½"	5010499/50116513	TATA Ace N/M Magic (Heavy Duty Steel Forged)	
TATA 407 (30 x 81.80) UJ 913	HY 511	2"	3¾"		TATA 407 (Heavy Duty Steel Forged)									
Canter (30.17 x 106.30) UJ 914	HY 512	3"	4"	3-28-267	TATA 407, Turbo Ex 909, 709, Canter (Heavy Duty Steel Forged)									
DCM (30.17 x 92) UJ 915	HY 543	3"	3½"		TATA 407 MSL									
Jeep (27 x 81.80) UJ 917	HY 563	3"	4"		Jeep Max									



## Cross Holder / Flange Yoke




Series & Cross (A x B)	Part No.	Plate Dia (C)	No. of Holes	Hole Size	Bolt Size	Total Height (D)	Type	Ref. O.E.M.	Application
SPL 90, L/L 2214 (41.27 x 126) UJ 903	CH 604	5"	8	10.20	17 Nos.	4¼"	Round	INSKU 100860	TATA 2515 Ex. (Big Nut)
	CH 605	6"	8	12.10	19 Nos.	4½"	Round	90-2-29	TATA 2518/1616/1625/ 1628/2521
	CH 611	7"	8	9.50	15 Nos.	4½"	Round	90-2-19	L/L 2214/3516/2516/1616/ Eicher 30.25
	CH 627		4	12.80	21 Nos.	4¼"	Square		TATA 2515 TC, N/M
	CH 647	6½"	8	16.20	24 Nos.	5¼"	Round		TATA 2515 Hywa, N/M
SPL 90, L/L 2214 (41.27 x 126) UJ 903	CH 621	6"	4	13.00	19 Nos.	4"	Serrated	90-2-15	TATA 3118/2521, L/L 3116/1616, AMW 2518, Man 25T ( <b>Heavy Duty Steel Forged</b> )
	CH 644	6"	4	13.00	19 Nos.	4½"	Serrated	90-2-30	TATA 3118
	CH 646	7"	4	15.00	22 Nos.	5½"	Serrated		TATA 2518 Hywa, N/M
	CH 648	5"	4	11.00	18 Nos.	4"	Serrated		TATA 2518 N/M





## Cross Holder / Flange Yoke




Series & Cross (A x B)	Part No.	Plate Dia (C)	No. of Holes	Hole Size	Bolt Size	Total Height (D)	Type	Ref. O.E.M.	Application
<b>1312 (46) UJ 901</b>	CH 601	5"	8	10.20	17 Nos.	4½"	Round	2576 4111 5110	TATA 1312/1612/2416/2213
	CH 602	5"	6	10.20	17 Nos.	4½"	Round		TATA 1312 N/M Tipper
	CH 615	6"	8	12.10	19 Nos.	5"	Round		TATA 1312 N/M
<b>1210 (38) UJ 902</b>	CH 607	5"	6	10.20	17 Nos.	3½"	Round	312 411 1111	TATA 1210
	CH 608	5"	8	10.20	17 Nos.	3½"	Round		TATA 1210 N/M
<b>Tusker (34.92 x 126.20) UJ 904</b>	CH 603		4	12.80	21 Nos.	4¼"	Square	INSKU 100082	TATA 2515 TC, L/L 2516, Tusker Long InterAxle
	CH 613		4	12.80	21 Nos.	3¼"	Square	F 21333 11	L/L Tusker
	CH 635	5"	8	10.20	17 Nos.	4½"	Round	INSKU 100467	TATA 1109
	CH 657	5"	6	10.20	17 Nos.	3¼"	Round		TATA 412, 415, 709, 712






## Cross Holder / Flange Yoke



Series & Cross (A x B)	Part No.	Plate Dia (C)	No. of Holes	Hole Size	Bolt Size	Total Height (D)	Type	Ref. O.E.M.	Application	
<b>Tusker</b> (34.92 x 126.20) UJ 904	CH 638	6"	4	13.00	19 Nos.	3¾"	Serrated	4-2-25	TATA L/L Interaxle 1710 Series	
	CH 656	5"	4	11.00	17 Nos.	3¾"	Serrated	4-2-35	L/L Iveco	
<b>4018 Patti Type</b> (49.20 x 154.90) UJ 905	CH 606	6½"	8	16.20	24 Nos.	5¼"	Round	6-2-1259	TATA 4018	
	CH 633	8"	12	12.10	19 Nos.	4¼"	Round	6-2-1279	AMW 2518/Eicher 40.25	
	CH 630	6"	4	13.00	19 Nos.	4½"	Serrated	6-2-15	TATA 3118/1618/2518/ AMW 2518, L/L 2516/4921/ Man 25T ( <b>Heavy Duty Steel Forged</b> )	
	CH 631	7"	4	15.00	22 Nos.	4¾"	Serrated	6-2-25	TATA 1623/1625 <b>(Heavy Duty Steel Forged)</b>	
	CH 640 (Lock Type)	6"	4	13.00	19 Nos.	4¼"	Serrated		TATA 4018	
	CH 663	6"	4	13.00	19 Nos.	5"	Serrated		TATA 3118/1618/2518, AMW (Long)	
	CH 666	5"	6	10.20	17 Nos.	5"	Round	3-2-0058	TATA 4018, N/M	



## Cross Holder / Flange Yoke




Series & Cross (A x B)	Part No.	Plate Dia (C)	No. of Holes	Hole Size	Bolt Size	Total Height (D)	Type	Ref. O.E.M.	Application
<b>RSB 325 (42 x 119) UJ 906</b>	CH 616	5"	8	10.20	17 Nos.	4 1/4"	Round	2632 4110 5105 F 502 325 130075	TATA 2515 Ex. (Big Nut)
	CH 626	6"	8	12.10	19 Nos.	4"	Round	2194 4110 5101 F 504 325 150075	TATA 2518 N/M
	CH 632	5"	4	11.00	17 Nos.	4"	Serrated	2848 4111 0102	TATA 2515 Ex.
	CH 639	6"	4	13.00	19 Nos.	4 1/4"	Serrated	2221 4110 5101 F 504 325 150079	TATA 2515 Ex.
	CH 651	6"	4	13.00	19 Nos.	5 1/4"	Serrated		TATA 2515 Ex. (Long)
<b>RSB 403 (42 x 129) UJ 907</b>	CH 618	6 1/2"	8	16.20	24 Nos.	5 1/4"	Round	2171 4112 5104 F 502 403 165101	TATA 2518
	CH 637	6"	8	12.10	19 Nos.	4 1/2"	Round		TATA 2518 N/M
	CH 643	7"	8	9.50	15 Nos.	5 1/4"	Round		L/L 2214 N/M
	CH 622	6"	4	13.00	19 Nos.	5"	Serrated	2167 4112 5105 F 510 403 150095	TATA 2518 (Long) <b>(Heavy Duty Steel Forged)</b>
	CH 650	6"	4	13.00	19 Nos.	4 1/2"	Serrated		TATA 2518 Short






## Cross Holder / Flange Yoke




Series & Cross (A x B)	Part No.	Plate Dia (C)	No. of Holes	Hole Size	Bolt Size	Total Height (D)	Type	Ref. O.E.M.	Application	
<b>RSB 490 (48 x 135) UJ 908</b>	CH 620	6½"	8	16.20	24 Nos.	5"	Round		TATA 4018	
	CH 619	6"	4	13.00	19 Nos.	4½"	Serrated	2819 4112 5102 F 512 490 150097	TATA 4018 <b>(Heavy Duty Steel Forged)</b>	
	CH 629	6"	4	13.00	19 Nos.	5¼"	Serrated	2167 412 5101N F 500 490 15117	TATA 4018 (Long) <b>(Heavy Duty Steel Forged)</b>	
	CH 634	7"	4	15.00	22 Nos.	5"	Serrated	5011 4112 5109 F 511 490 180097	TATA 1623/1628, (Long)	
	CH 658	7"	4	15.00	22 Nos.	4½"	Serrated		TATA 1623/1628,	
<b>SPR 2040 / Taurus (47.62 x 135) UJ 909</b>	CH 614	7"	8	9.50	15 Nos.	4¼"	Round	MSL 350 2027	L/L Taurus	
	CH 659	6"	4	13.00	19 Nos.	5½"	Serrated	2687 4027 00510 SDFY 2040 ID150T	TATA 4928, 3138, Bharat Benz, Man, Eicher	
	CH 667	6"	4	13.00	19 Nos.	5"	Serrated	2687 4020 00500 SDFY 2040 D150T	TATA 4936, 3138, 5252, 2038	
	CH 668	7"	4	15.00	22 Nos.	5"	Serrated	2687 4520 00500 SDFY 2040 D180T	TATA 2523, 2538, 3721, 3138	
	CH 669	7"	4	15.00	22 Nos.	4½"	Serrated	2687 4027 00520 SDFY 2040 ID180T	TATA 2523, 2538, 3721, 3138	



## Cross Holder / Flange Yoke




Series & Cross (A x B)	Part No.	Plate Dia (C)	No. of Holes	Hole Size	Bolt Size	Total Height (D)	Type	Ref. O.E.M.	Application
<b>RSB 585</b> (48 x 154) UJ 918	CH 672	7"	4	15.00	22 Nos.	5¼"	Serrated	F 511 585 182100	TATA 2523 L/L 4923
<b>RSB 590</b> (52 x 147) UJ 910	CH 641	7"	4	15.00	22 Nos.	5½"	Serrated		AMW, TATA 4028
	CH 653	6"	4	13.00	19 Nos.	5"	Serrated	S590N-2-085	AMW, TATA 3138
	CH 671	6"	4	13.00	19 Nos.	5½"	Serrated		TATA 4028, 3138, Bharat Benz, Man, Eicher
<b>SPR 2045</b> (52 x 147) UJ 910	CH 660	6"	4	13.00	19 Nos.	5½"	Serrated	2687 4527 27500 SDFY 2045 ID150T	TATA 3128, 4023, 3132, 4026 Bharat Benz, Man, Eicher
	CH 670	7"	4	15.00	22 Nos.	5"	Serrated	2687 4520 00500 SDFY 2045 D180T	TATA 3128, 4023, 3132, 4026 Bharat Benz, Man, Eicher
<b>RSB 620</b> (57 x 152) UJ 911	CH 642	7"	4	15.00	22 Nos.	5"	Serrated	5011 4112 5101	AMW, TATA 3138
	CH 654	7"	4	15.00	22 Nos.	5½"	Serrated		AMW, TATA 3138 (Long)
<b>SPR 2055</b> (57 x 152) UJ 911	CH 661	7"	4	15.00	22 Nos.	5¼"	Serrated	66875 5708 0200 0294 SDFY 2055 ID180T	TATA 1628, 2038, L/L 4936, Bharat Benz





## Cross Holder / Flange Yoke




Series & Cross (A x B)	Part No.	Plate Dia (C)	No. of Holes	Hole Size	Bolt Size	Total Height (D)	Type	Ref. O.E.M.	Application
<b>SPR 2060</b> (59 x 167.7) UJ 919	CH 662	7"	4	15.00	22 Nos.	5¾"	Serrated	66876 0708 0200 0310 SDFY 2060 ID180T	TATA 3138, Man 31.28, Eicher 40T
<b>SPR 2065</b> (65 x 172) UJ 920	CH 675	7"	4	15.00	22 Nos.	6"	Serrated	2687 652 000510 SDFY 2065 D180T	TATA 2528, L/L 4928
<b>L/L 370</b> (39.67 x 115.40) UJ 912	CH 612	6"	4	12.80	21 Nos.	4"	Round	INSKU-K4-2GB-239	L/L 350/370 Bedford
<b>TATA 407</b> (30 x 81.80) UJ 913	CH 609	4"	6	8.20	13 Nos.	3"	Round	2651 4110 5102	TATA 407
<b>DCM</b> (30.17 x 92) UJ 915	CH 623	4"	6	8.20	13 Nos.	3"	Round		TATA 407 Turbo N/M, MSL
<b>Canter</b> (30.17 x 106.30) UJ 914	CH 610	5"	6	10.20	17 Nos.	3½"	Round	3-2-0058	TATA 407 Turbo Ex, 410 Ex/709/909
	CH 628		4	8.0	13 Nos.	3"	Square		Canter
	CH 673	5"	4	10.20	17 Nos.	2½"	Round		Swaraj Mazda
	CH 645	5"	4	11.00	18 Nos.	3½"	Serrated		Canter N/M







## Cross Holder / Flange Yoke




Series & Cross (A x B)	Part No.	Plate Dia (C)	No. of Holes	Hole Size	Bolt Size	Total Height (D)	Type	Ref. O.E.M.	Application
<b>Pickup (34.92 x 106.35) UJ 916</b>	CH 636	5"	6	10.20	17 Nos.	3½"	Round	SDFY 0055 D120	TATA 407 Pickup MSL, 1480 Series
	CH 655	5"	4	11.00	18 Nos.	3½"	Serrated	3-2-25 SDFY 0055 D120T	TATA 407/709/909
	CH 674	6"	4	13.00	19 Nos.	3¾"	Serrated		TATA 407/709/909
<b>TATA ACE (23.82 x 34.90)</b>	CH 624		4	8.0	13 Nos.	2½"	Square		TATA ACE
<b>TATA ACE Magic (22 x 55)</b>	CH 625		4	8.0	13 Nos.	2½"	Square		TATA Ace N/M Magic
<b>Jeep (27 x 81.80) UJ 917</b>	CH 664		4	8.0	13 Nos.	4"	Round		Jeep, Max
	CH 665		4	8.0	13 Nos.	3"	Square		Jeep, Max





# Coupling Flange




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
26 Splines	CF 701	5"	8	10.20	17 Nos.	3"	Round	2632 4111 0111	Centre Coupling TATA 2416
	CF 704	5"	8	10.20	17 Nos.	2½"	Round	2576 3520 0110	Differential Coup. TATA 1312
	CF 723	5"	6	10.20	17 Nos.	2¼"	Round	312 350 1245	Differential Coup. TATA 1210
	CF 746	5"	8	10.20	17 Nos.	3½"	Round	INSKU 100847	Centre Coup. 2416 N/M, TATA 2515
	CF 716	6"	8	12.10	19 Nos.	2½"	Round		Differential Coup. TATA 2518
	CF 784	6"	8	12.10	19 Nos.	3"	Round		Centre Coup. 2518 N/M
	CF 720	6½"	8	16.20	24 Nos.	3"	Round		Differential Coupling TATA 4018 N/M
26 Splines	CF 785	7"	8	9.50	15 Nos.	4"	Round		Differential Coupling L/L 2214 N/M
	CF 762	6"	4	13.00	19 Nos.	¾"	Serrated		Centre Coup. TATA 2518





# Coupling Flange




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
26 Splines	CF 772	6"	4	13.00	19 Nos.	2½"	Serrated		Pinion Coup. TATA 2518 (Small)
	CF 773	6"	4	13.00	19 Nos.	4½"	Serrated		Gear Coup. GB-75, 2518/4018
	CF 786	6"	4	13.00	19 Nos.	4"	Serrated		Centre Coup. TATA 2518
	CF 789	6"	4	13.00	19 Nos.	3¼"	Serrated		Centre Coup. TATA 3128, L/L 3136 <b>(Big Bore)</b>
	CF 790	6"	4	13.00	19 Nos.	2½"	Serrated		Pinion Coup. TATA 2518 (Small) <b>(CF 772 CUT Type)</b>
	CF 791	6"	4	13.00	19 Nos.	4"	Serrated		Centre Coup. TATA 2518 <b>(CF 786 CUT Type)</b>
26 Splines	CF 783	7"	4	15.00	22 Nos.	4½"	Serrated		Gear Coupling GB 75
	CF 749	7"	4	15.00	22 Nos.	3¾"	Serrated	SDCF 2065L95	Centre Coup. TATA 3128, L/L 3136 <b>(Big Bore)</b>
	CF 793	6"	4	13.00	19 Nos.	3¼"	Serrated		Centre Coup. TATA 2518





# Coupling Flange

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
26 Splines	CF 794	6"	4	13.00	19 Nos.	3½"	Serrated		Gear Coupling GBS 1150
	CF 795	7"	4	15.00	22 Nos.	3½"	Serrated		Gear Coupling GBS 1150
	CF 796	6"	4	13.00	19 Nos.		Serrated		Centre Coup. TATA 3118 Oil Seal 68.70
	CF 797	6"	4	13.00	19 Nos.	4½"	Serrated		Gear Coup. GB-75, 2518/4018 <b>(CF 773 CUT Type)</b>
	CF 798	7"	4	15.00	22 Nos.	3¼"	Serrated		Pinion Coup. TATA 4018 <b>(Big Bore)</b>
16 Splines	CF 703	5"	8	10.20	17 Nos.	2¾"	Round	2507 2620 5001	Gear Coup. TATA 1312
	CF 722	5"	6	10.20	17 Nos.	2½"	Round	322 262 0045	Gear Coup. GBS-40
	CF 727	4"	6	8.20	13 Nos.	2"	Round	2651 4110 0122	Centre Coup. TATA 407
	CF 728	4"	6	8.20	13 Nos.	2"	Round	2515 2620 0111	Gear Coup. TATA 407





# Coupling Flange

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
16 Splines	CF 729	4"	6	8.20	13 Nos.	2"	Round	2664 3335 0101	Differential Coup. TATA 407
	CF 726	5"	6	10.20	17 Nos.	2"	Round		Differential Coup. Converted 407/1210
	CF 730	5"	6	10.20	17 Nos.	2"	Round		Centre Coup. Converted 407/1210
	CF 731	5"	6	10.20	17 Nos.	2"	Round		Gear Coup. Converted 407/1210
	CF 732	5"	6	10.20	17 Nos.	2 1/4"	Round		Gear Coup. TATA 709/909 (CF 722 Small)
	CF 733			4	12.10	19 Nos.	4"	Square	
16 Splines	CF 751	7"	8	9.50	15 Nos.	4"	Round	F 1433311	Centre Coup. L/L, Taurus 1616
	CF 799	5"	6	10.20	17 Nos.	2 3/4"	Round		Centre Coup. TATA 709/909 MSL Type
	CF 769	6"	4	13.00	19 Nos.	3"	Serrated	INSKU 100950	Centre Coup. 3118/2518/2521, AMW 2518, L/L 2516, MAN 25T





# Coupling Flange




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
14 Splines	CF 702	5"	8	10.20	17 Nos.	2½"	Round	2575 4110 0104	Centre Coup. TATA 1312
	CF 721	5"	6	10.20	17 Nos.	2¼"	Round	2573 4110 0110	Centre Coup. GB 40 TATA 1210, TATA 1210 SE
	CF 725	5"	6	10.20	17 Nos.	2¼"	Round	312 261 1517	Gear Coup. TATA 1210
	CF 734	5"	4	12.10	19 Nos.	2½"	Round		Eicher 10.50
34 Splines	CF 705	5"	8	10.20	17 Nos.	3"	Round		Centre Coup. Converted TATA 2515 Ex
	CF 757	5"	8	10.20	17 Nos.	3"	Round	90-1-0017	Centre Coup. TATA 1616/1613
	CF 706		4	12.80	21 Nos.	3"	Square		Centre Coup. TATA 2515 TC
	CF 748	6"	8	12.10	19 Nos.	3"	Round	INSKU 100906	Centre Coup. TATA 2518
	CF 758	6"	8	12.10	19 Nos.	3"	Round	INSKU 100851	Centre Coup. TATA 2518, N/M





# Coupling Flange




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
34 Splines	CF 735		4	12.10	19 Nos.	3"	Square		Eicher Terra 16
	CF 736	7"	8	9.50	15 Nos.	2¼"	Round	5-1-6501	Centre Coup. L/L 2214
	CF 7002	6"	4	13.00	19 Nos.	2½"	Round		Centre Coup. L/L 1613 E-Comet 1512
	CF 7003	5"	6	10.20	17 Nos.	3"	Round		Centre Coup. TATA 1613/1616 Eicher Oil Seal 55.75mm
	CF 747	6"	4	13.00	19 Nos.	2½"	Serrated	90-1-15	Centre Coup. L/L 3116
	CF 774	6"	4	13.00	19 Nos.	¾"	Serrated		Centre Coup. TATA 2518 Interaxle (Long)
	CF 750	6"	4	13.00	17 Nos.	3"	Serrated		Centre Coup. TATA 2518 Interaxle (Short)
	CF 7001	5"	4	11.00	18 Nos.	2¼"	Serrated	4-1-35	TATA 407, LPO
32 Splines	CF 7026	6"	4	13.00	19 Nos.	¾"	Serrated		Eicher Terra





# Coupling Flange




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
39 Splines	CF 708	5"	8	10.20	17 Nos.	3½"	Round		Differential Coup. Converted TATA 2515/3516 Oil Seal 69.85 mm
	CF 709	5"	8	10.20	17 Nos.	3½"	Round		Differential Coup. Converted TATA 2516/3516 Oil Seal 76.30 mm
	CF 710		4	12.80	21 Nos.	3½"	Square		Differential Coup. 2516 TC
	CF 739	7"	8	9.50	15 Nos.	3½"	Round		Differential Coup. L/L 2214 Oil seal 69.85 mm
	CF 740	7"	8	9.50	15 Nos.	3½"	Round	P 4300214	Differential Coup. L/L 2214/Taurus Oil seal 76.20mm
	CF 771	6"	4	12.80	21 Nos.	3½"	Round		Pinion Coupling L/L 2516 N/M
	CF 770	6"	4	12.80	21 Nos.	4"	Round		Pinion Coupling L/L 2516 N/M (Long)
39 Splines	CF 775	6½"	8	16.20	24 Nos.	4¼"	Round		Differential Coupling TATA 4018, (Long)
	CF 7004	6"	8	12.10	19 Nos.	¾"	Round		Differential Coupling TATA 2518







# Coupling Flange




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
39 Splines	CF 763	6"	4	13.00	19 Nos.	3¾"	Serrated		Pinion Coupling TATA 2518/4018 Oil seal 76.00 mm
	CF 764	6"	4	13.00	19 Nos.	3¾"	Serrated		Pinion Coupling TATA 2518/4018 Oil seal 69.85 mm
	CF 777	7"	4	15.00	22 Nos.	4½"	Serrated		Pinion Coupling 4923
	CF 7005	6"	4	13.00	19 Nos.	4"	Serrated		Differential Coup. TATA 2518
	CF 7006	6"	4	13.00	19 Nos.	3"	Serrated		Differential Coup. TATA 2518
	CF 7007	6"	4	13.00	19 Nos.	3"	Serrated		Differential Coup. TATA 2518
31 Splines	CF 781	7"	4	15.00	22 Nos.	3"	Serrated		Gear Coupling
	CF 7008	6"	4	13.00	19 Nos.	5¼"	Serrated		Coupling Flange Eaton Gear 8 Speed L/L
	CF 7009	7"	4	15.00	22 Nos.	5¼"	Serrated		Coupling Flange Eaton Gear 9 Speed L/L





# Coupling Flange




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
41 Splines	CF 712	5"	8	10.20	17 Nos.	3¾"	Round		Differential Coupling Converted TATA 2515/3516
	CF 713		4	12.80	21 Nos.	3½"	Square		Differential Coup. TATA 2516 TC
	CF 719	6½"	8	16.20	24 Nos.	3¾"	Round		Differential Coupling TATA 4018
	CF 776	6½"	8	16.20	24 Nos.	4¼"	Round		Differential Coupling TATA 4018
	CF 741	7"	8	9.50	15 Nos.	3½"	Round		Differential Coupling L/L 2214
41 Splines	CF 767	6"	4	13.00	19 Nos.	3¾"	Serrated		Pinion Coupling Oil Seal 76.30mm
	CF 778	7"	4	15.00	22 Nos.	4¼"	Serrated		Pinion Coupling, TATA 4018
	CF 787	7"	4	15.00	22 Nos.	4½"	Serrated		Pinion Coupling TATA 4923
21 Splines	CF 782	7"	4	15.00	22 Nos.	2½"	Serrated		Gear Coupling, TATA 4018





# Coupling Flange

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
46 Splines	CF 7010	7"	8	9.50	15 Nos.	3¼"	Round		Differential Coup. L/L 4018
	CF 753	6"	4	13.00	19 Nos.	3½"	Serrated		Differential Coup. TATA 2518 (Cut Type)
	CF 7011	6"	4	13.00	19 Nos.	3½"	Serrated		Pinion Coupling TATA 4018
	CF 780	7"	4	15.00	22 Nos.	2¾"	Serrated		Pinion Coupling TATA 4018
30 Splines	CF 760	7"	4	15.00	22 Nos.	4½"	Serrated		Centre Coupling 2518/2523
	CF 7023	6"	4	13.00	19 Nos.	3"	Serrated		Centre Coupling 2518
	CF 7024	7"	4	15.00	22 Nos.	3"	Serrated		Centre Coupling 4018
6 Splines	CF 742		4	12.80	21 Nos.	4"	Square	1681 Z5B	Gear Coup. L/L 350/370 Tusker
	CF 743	6"	4	12.80	21 Nos.	4"	Round	F 1431022	Gear Coup. L/L 350/370 Tusker





# Coupling Flange

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
20 Splines	CF 754	6"	4	13.00	19 Nos.	3"	Serrated	SDCF 2055 L71I	Centre Coupling TATA 3127, 3128 <b>(Cut Type)</b>
	CF 7012	6"	4	13.00	19 Nos.	2¾"	Serrated		Centre Coupling TATA 3118
	CF 7013	6"	4	13.00	19 Nos.	3"	Serrated		Centre Coupling TATA 3118 <b>(Cut Type)</b>
	CF 788	7"	4	15.00	22 Nos.	2¾"	Serrated	SDCF 2055 L70	Centre Coupling TATA 3127, 3128
44 Splines	CF 7020	7"	8	9.50	15 Nos.	4½"	Round		Pinion Coupling TATA 4018
	CF 768	6"	4	13.00	19 Nos.	4"	Serrated		Pinion Coupling 2518 Oil Seal 76.30 mm
	CF 7021	6"	4	13.00	19 Nos.	4"	Serrated		Pinion Coupling TATA 2518
	CF 7022	6"	4	13.00	19 Nos.	3½"	Serrated		Pinion Coupling TATA 2518
	CF 779	7"	4	15.00	22 Nos.	4½"	Serrated		Pinion Coupling TATA 4018





# Coupling Flange




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
28 Splines	CF 738	7"	8	9.50	15 Nos.	2½"	Round	F 14351711	Gear Coupling L/L 2214 Taurus
	CF 756	7"	8	9.50	15 Nos.	4½"	Round		Gear Coupling Z/F Type Bell Type
	CF 7014		4	12.80	21 Nos.	¾"	Square		Gear Coupling Flange L/L, Interaxle
	CF 765	6"	4	13.00	19 Nos.	4"	Serrated		Gear Coupling Flange L/L ZF Type
	CF 766	6"	4	13.00	19 Nos.	4"	Serrated		Gear Coupling Flange
28 Splines	CF 752	6"	4	13.00	19 Nos.	3"	Serrated		Centre Coupling Flange (Cut Type)
	CF 7015	6"	4	13.00	19 Nos.	2¼"	Serrated		Gear Coupling Flange TATA GB950
	CF 7016	5"	4	11.00	18 Nos.	3½"	Serrated		Gear Coupling L/L IVECO, E-COMET





# Coupling Flange

**DOWNLOAD APP**  
**KKI AUTOS**  
 ANDROID APP ON Google play | Download on the App Store




No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
18 Splines	CF 715	5"	8	10.20	17 Nos.	3½"	Round		Gear Coupling GB-60
	CF 717	6"	8	12.10	19 Nos.	2½"	Round	INSKU 100475	Gear Coupling TATA 2518
	CF 718	6½"	8	16.20	24 Nos.	3"	Round		Gear Coup. TATA 4018
	CF 737	5"	4	12.10	19 Nos.	2½"	Round		Gear Coupling TATA 2518
	CF 7025		4	12.10	19 Nos.	4"	Square		Gear Coupling Canter N/M
18 Splines	CF 761	6"	4	13.00	19 Nos.	2½"	Serrated		Gear Coupling TATA 2518
	CF 792	6"	4	13.00	19 Nos.	2½"	Serrated		Gear Coupling TATA 2518 (CF 761 Cut Type)





# Coupling Flange

**DOWNLOAD APP**  
**KKI AUTOS**  
ANDROID APP ON  
Download on the  
App Store



No. of Splines	Part No.	Plate Dia (A)	No. of Holes	Hole Size	Bolt Size	Total Height (B)	Type	Ref. O.E.M.	Application
<b>10 Splines</b>	CF 744	6"	4	12.80	21 Nos.	3¼"	Round		Differential Coupling L/L 350/370 Tusker
	CF 745		4	12.80	21 Nos.	3"	Square	F 1432011	Centre Coupling L/L Tusker
	CF 755	6"	4	12.80	21 Nos.	2½"	Round	4-1-5401	Centre Coup. L/L 1613 Turbo
	CF 759	7"	8	9.50	15 Nos.	3¾"	Round		Centre Coup. Taurus
	CF 7017	7"	8	9.50	15 Nos.		Round		Differential Coupling L/L 2516
<b>10 Splines</b>	CF 7018		4	12.10	19 Nos.	2½"	Square		Centre Coup. Canter
	CF 724	5"	4	11.00	17 Nos.	3¼"	Serrated	3-1-15	Centre Coup. 709/909
	CF 7019	6"	4	13.00	19 Nos.		Serrated		Centre Coup. L/L 1613



Part No.	No. of Teeth	Inner Dia (mm)	Outer Dia (mm)	Thickness (mm)	Ref. O.E.M.	Application
OI 808	138	412.30	443.50	16.00		TATA 2516 Hywa
OI 809	159	361.10	407.50	15.30		TATA 2416, 4 Hole
OI 810	159	383.40	407.50	14.25		TATA 1612 TC Small
OI 811	173	412.30	443.50	14.25		TATA 2516 TC Big
OI 812	127	361.10	407.70	15.30		TATA TC Hole Type N/M
OI 813	146	412.30	441.00	16.00		TATA TC N/M
OI 814	138	408.85	443.20	16.00		TATA 3118 Hole Type
OI 821	125	335.00	381.00	16.00	352 032 1105	TATA1210 SE
OI 836	125	335.00	381.00	21.00	312 032 0105	TATA1210
OI 841	114	304.50	347.50	16.00	2534 0311 5401	TATA 407
OI 842	114	295.00	347.50	16.00		TATA 608
OI 843	114	295.00	347.50	16.00		TATA 709
OI 852	136	381.00	436.70	16.00	074002	L/L Plain
OI 853	136	381.00	436.70	16.00	074002	L/L Cut
OI 854	136	402.00	436.90	16.00		L/L Henno 6 D
OI 856	136	381.00	436.70	16.00	F 0740022	Tusker
OI 857	136	405.30	436.70	15.85		Taurus
OI 858	159	444.70	509.50	22.00		L/L 680/ Double Decker
OI 868	126	370.00	405.00	16.00		L/L Henno 4 D
OI 870	149	436.00	479.00	22.00		<b>TATA Prima</b>
OI 885	124	343.00	379.00	15.00		Eicher Canter 1108
OI 886	140	392.00	428.00	15.00		Eicher Jumbo
OI 887	145	413.00	441.50	12.00		<b>Mahindra Navistar</b>
OI 888	158	457.00	506.40	22.00		<b>TATA Nova</b>
OI 890	160	432.00	480.50	18.00		<b>Bharat Benz</b>
OI 891	146	392.00	444.00	16.00		<b>Bharat Benz</b>







## Clutch Fork

## Through Shafts

DOWNLOAD APP  
KKI AUTOS

ANDROID APP ON Google play Download on the App Store

Part No.	Application
OI 801	TATA 1312 (2596 2560 0102)
OI 815	GBS-40 (Short) (2573 2560 5102)
OI 816	GBS-30 (Long) (312 293 1211)
OI 828	TATA 1210 (312 293 1211)
OI 839	TATA 407 (2651 2560 0107)
OI 851	TATA 1510 TC (2574 2560 5101)
OI 859	TATA 1613 TC, Short, Length 13"
OI 863	TATA 1613 TC, Long, Length 14.5"



Part No.	No. of Teeth	Total Length	Application
OI 845	34x32	15"	TATA 2516
OI 846	39x20	16"	TATA 2518
OI 847	26x35	21"	Meritor Type
OI 848	39x34	15"	Spicer Type



### Gear Retainer

OI 805	GB 50 (With Oil Seal)
OI 806	GB 60
OI 807	TATA 1613 Turbo (EURO II) (With Oil Seal)
OI 824	TATA 1210 SE (With Oil Seal) (2505 3013 4501)
OI 834	TATA 1210 (With Oil Seal) (312 261 1918)
OI 864	GB - 75
OI 867	GB - 90 / GB - 1150
OI 892	L/L U-Truck
OI 893	Eaton
OI 894	TATA 3118



### Through Shafts Housing

	Hole Size	Bolt Size	Total Height	Application
OI 895	4	18	3¾"	Old Model
OI 896	4	18	3¼"	New Model



### Stg. U-J Cross Assly.

OI 826	92 Model N/M (321 460 0157)
OI 827	TATA 1613 N/M
OI 837	TATA 1210 (321 460 0157)
OI 844	TATA 407 (2651 4600 0102)



All O.E.M. Part Nos. for Reference only.



## Ready Reckoner of RSB / Spicer Shaft Components



Series	Cross Si e	Long Fork		Rear Housing	Cross Holder	Half Yoke
		W/o Dust Cover	With Dust Cover			
RSB 325	(42 x 119) UJ 906	RT 337 RT 343 RT 359	RT 347 RT 352 RT 364	SY 240/T, SY 241/T SY 259/T SY 257/T	CH 616, CH 626, CH 632, CH 639, CH 651	HY 536, HY 544, HY 555
RSB 403	(42 x 129) UJ 907	RT 339 RT 338 RT 354	RT 349 RT 348 RT 356	SY 241/T, SY 284/T SY 242/T, SY 283/T SY 249/T	CH 618, CH 622, CH 637, CH 643, CH 650	HY 540, HY 551, HY 552
RSB 490	(48 x 135) UJ 908	RT 340 RT 341 RT 357	RT 350 RT 351 RT 363	SY 243/T SY 247/T, SY 282/T SY 255/T	CH 619, CH 620, CH 629, CH 634, CH 658	HY 541, HY 556
SPR 2040	(47.62 x 135) UJ 909	RT 374 RT 375 RT 376	RT 395 RT 380 RT 381	SY 277/T SY 265/T SY 267/T, SY 274/T, SY 275/T	CH 659, CH 667, CH 668, CH 669	HY 558, HY 564
RSB 585	(48 x 154) UJ 918	RT 397	RT 398	SY 286/T, SY 287/T	CH 672	HY 566
RSB 590	(52 x 147) UJ 910	RT 360 RT 361 RT 369 RT 392	RT 365 RT 366 RT 373 RT 394	SY 258/T SY 258/T SY 280/T SY 281/T	CH 641, CH 653, CH 671	HY 549, HY 565
SPR 2045	(52 x 147) UJ 910	RT 377 RT 378	RT 382 RT 383	SY 269/T, SY 278/T, SY 279/T SY 269/T, SY 278/T, SY 279/T	CH 660, CH 670	HY 559, HY 560
RSB 620	(57 x 152) UJ 911	RT 353	RT 362	SY 253/T	CH 642, CH 654	HY 550
SPR 2055	(57 x 152) UJ 911	RT 379	RT 384	SY 271/T	CH 661	HY 561
SPR 2060	(59 x 167.7) UJ 919	RT 368	RT 371	SY 261/T	CH 662	HY 562
SPR 2065	(65 x 172) UJ 920	RT 393	RT 396	SY 285/T	CH 675	HY 567



## Ready Reckoner of Shaft Components



Series	Cross Si e	Sleeve Yoke	Rear Teeth	Cross Holder	Half Yoke
<b>SPL 90</b>	(41.27 x 126) UJ 903	SY 207 (12" - 30 Spl.) SY 226 (12" - 16 Spl.) SY 228 (10" - 30 Spl.) SY 221 (10" - 16 Spl.) SY 248 (14¼") SY 256 (12½")	RT 306/T (10½" - 30 Spl.) RT 317/T (10½" - 16 Spl.) RT 320 (9" - 30 Spl.) RT 321 (9" - 16 Spl.) RT 336/T (12") RT 336/T (12")	CH 604, CH 605, CH 611 CH 621, CH 644	HY 545, HY 546, HY 539, HY 554
<b>TUSKER</b>	(34.92 x 126) UJ 904	SY 233 (8" ) SY 238 (9¾") SY 239 (11") SY 244 (13½") SY 229 (14") SY 272 (12¼")	RT 324/T, RT 326/T (8") RT 334/T (9¼") RT 335/T (10") RT 336/T (12") RT 342 (12½") RT 387/T (10½")	CH 603, CH 613, CH 638	HY 526, HY 527, HY 533, HY 542
<b>4018 PATTI TYPE</b>	(49.20 x 154.90) UJ 905	SY 208 (11¼") SY 237 (13")	RT 309/T (10½") RT 336/T (12")	CH 606, CH 630, CH 631	HY 505
<b>TAURUS</b>	(47.62 x 135) UJ 909	SY 235 (9½")	RT 331 (8¾")	CH 614	HY 529
<b>LEYLAND</b>	(39.66 x 115) UJ 912	SY 231 (8")	RT 324/T (8") RT 326/T (8")	CH 612	HY 522, HY 523
<b>TATA 407</b>	(30 x 81.80) UJ 913	SY 215 (6½")	RT 312 (6¾") RT 315/T (9")	CH 609	HY 511
<b>CANTER</b>	(30.17 x 106) UJ 914	SY 217 (7½") SY 263 (7¾")	RT 314/T (9") RT 372/T (9")	CH 610 CH 645	HY 512
<b>DCM</b>	(30.17 x 92) UJ 915	SY 218 (6¾")	RT 319/T (8")	CH 623	HY 543
<b>PICKUP</b>	(34.92 x 106) UJ 916	SY 252 (8") SY 268 (9½") SY 276 (9")	RT 346/T (8") RT 386/T (8¾") RT 391/T (8½")	CH 636, CH 655, CH 674	HY 547, HY 548
<b>TUSKER</b>	(34.92 x 126) UJ 904	SY 250 (9½") SY 264 (8")	RT 344/T (11") RT 314/T (9")	CH 635 CH 657	HY 526, HY 527
<b>1210</b>	(38 x 57) UJ 902	SY 251 (8")	RT 345/T (10")	CH 607	HY 507, HY 509



Propeller Shaft &  
Steering Components

**DOWNLOAD APP**  
**KKI AUTOS**



**Replacemen Parts for La es Vehicles:**

**TATA** : ACE, 407, 407 Turbo E , 410, 412, 608, 709, 712, 713, 809, 1109, 1116, 1210, S.E., 1212, 1312, 1510 T.C., 1612, 1613 Turbo, 1618, 1828, 2214, 2515, 2516, 2530, 2630, 3116, 3118, 3123, 3128, 3516, 4018, 4023, 4028, 4923, 4928, Prima.

**LEYLAND** : Dost, Viking, Cheetah, 350, 370, Tusker, Taurus, Stag, E-Comet, 1612, 1616, 1828, 2214, 2515, 2523, 2630, 3116, 3120, 3123, 3138, 3516, 3518, 3718, 4018, 4019, 4023, 4923.

**OTHERS** : AMW, EICHER, BHARAT BENZ, VOLVO, MAN, RSB SHAFT & MAHINDRA RANGE

**MOHIT INTERNATIONAL**

Mfrs. of Propeller Shaft & Steering Components

Backside Transport Nagar, Adjoining Focal Point  
Gadaipur Road, Jalandhar City-144 004 (Pb.) INDIA

E-mail : [mohit@shaftcomponents.com](mailto:mohit@shaftcomponents.com)

Customer Care : **0181-5008895, 99148-99900**