



Yoke & Teeth Set/Teflon Coated



| Part No. | Series & Cross | No. of Teeth | SLEEVE YOKE Length | | | REAR TEETH Length | | | Pipe/Head Dia | | Application |
|-----------|-------------------------------------|--------------|--------------------|--------|-----|-------------------|--------|-----|---------------|----|--|
| | | | Part No. | Inches | mm | Part No. | Inches | mm | Inches | mm | |
| YT 101 | 1312 (46) | 16 | SY 202 | 10½" | 270 | RT 301 | 11½" | 290 | 3½" | 84 | TATA 1312/1612/1510/2416 |
| YT 104 | 1312 (46) | 16 | SY 205 | 12½" | 320 | RT 304 | 13½" | 340 | 3½" | 84 | TATA 1312 Long |
| YT 102 | 1312 (46) | 24 | SY 203 | 10½" | 270 | RT 302 | 11½" | 290 | 3½" | 84 | TATA 1613 Turbo |
| YT 109 | 1210 (38) | 10 | SY 210 | 8½" | 220 | RT 310 | 9" | 230 | 3" | 68 | TATA 1210 SE |
| YT 110 | 1210 (38) | 10 | SY 212 | 8¼" | 210 | RT 311 | 9" | 230 | 2½" | 64 | TATA 1210 |
| YT 143 | 1210 (38) | 22 | SY 251 | 8¼" | 210 | RT 345 | 10" | 250 | 2½" | 64 | TATA 1210 N/M |
| YT 106/T | SPR SPL 90 (41.27 x 126) | 30 | SY 207 | 12" | 300 | RT 306/T | 10½" | 270 | 4" | 95 | TATA 2515/2518, L/L 2214/3516/4018 (Thin Splines) |
| YT 107 | SPR SPL 90 (41.27 x 126) | 30 | SY 207 | 12" | 300 | RT 307 | 10½" | 270 | 3½" | 84 | TATA LPK 2516 |
| YT 119 | SPR SPL 90 (41.27 x 126) | 30 | SY 228 | 10" | 250 | RT 320 | 9" | 230 | 4" | 95 | L/L 8" (Thin Splines) Discontinued Use YT 120 |
| YT 122 | SPR SPL 90 (41.27 x 126) | 30 | SY 228 | 10" | 250 | RT 322 | 9" | 230 | 3½" | 84 | TATA 1613 (Thin Splines) Discontinued Use YT 121 |
| YT 116/T | SPR SPL 90 (41.27 x 126) | 16 | SY 226 | 12" | 300 | RT 317/T | 10½" | 270 | 4" | 95 | TATA 2515/2518, L/L 2214 (Thick Splines) |
| YT 120 | SPR SPL 90 (41.27 x 126) | 16 | SY 221 | 10" | 250 | RT 321 | 9" | 230 | 4" | 95 | L/L 8" (Thick Splines) |
| YT 121 | SPR SPL 90 (41.27 x 126) | 16 | SY 221 | 10" | 250 | RT 323 | 9" | 230 | 3½" | 84 | TATA 1613 (Thick Splines) |
| YT 135/T | SPR SPL 90 (41.27 x 126) | 16 | SY 248 | 14¼" | 360 | RT 336/T | 12" | 300 | 4" | 95 | TATA L/L Interaxle 1710 Series |
| YT 1001/T | SPR SPL 90 (41.27 x 126) | 16 | SY 248 | 14¼" | 360 | RT 358/T | 13" | 330 | 4" | 95 | TATA L/L Interaxle 1710 Series |
| YT 1002/T | SPR SPL 90 (41.27 x 126) | 16 | SY 256 | 12" | 300 | RT 336/T | 12" | 300 | 4" | 95 | AMW, Interaxle Shaft |
| YT 1003/T | SPR SPL 90 (41.27 x 126) | 16 | SY 294 | 13" | 330 | RT 336/T | 12" | 300 | 4" | 95 | TATA L/L Interaxle 1710 Series |
| YT 1004/T | SPR SPL 90 (41.27 x 126) | 16 | SY 295 | 14" | 350 | RT3005/T | 12" | 300 | 4" | 95 | TATA L/L Interaxle 1710 Series MSL Type |
| YT 108/T | 4018 Patti Type (49.20 x 154.90) | 16 | SY 208 | 11" | 280 | RT 309/T | 10½" | 270 | 4" | 95 | TATA 4018 |
| YT 132/T | 4018 Patti Type (49.20 x 154.90) | 16 | SY 237 | 13" | 330 | RT 336/T | 12" | 300 | 4" | 95 | TATA 4018 Long |





Yoke & Teeth Set/Teflon Coated



| Part No. | Series & Cross | No. of Teeth | SLEEVE YOKE Length | | | REAR TEETH Length | | | Pipe/Head Dia | | Application |
|-----------|----------------------------|--------------|--------------------|--------|-----|-------------------|--------|-----|---------------|----|---|
| | | | Part No. | Inches | mm | Part No. | Inches | mm | Inches | mm | |
| YT 103 | Tusker (34.92 x 126.20) | 16 | SY 204 | 12½" | 320 | RT 303 | 11½" | 290 | 3½" | 84 | TATA Hywa (Conv. from 28 to 16 Spl.) |
| YT 117 | Tusker (34.92 x 126.20) | 16 | SY 229 | 14" | 350 | RT 342 | 12½" | 320 | 3½" | 84 | TATA Interaxle (Thick Splines) |
| YT 125/T | Tusker (34.92 x 126.20) | 16 | SY 233 | 8¼" | 210 | RT 324/T | 8" | 200 | 3" | 71 | Tusker 3" |
| YT 126/T | Tusker (34.92 x 126.20) | 16 | SY 233 | 8¼" | 210 | RT 326/T | 8" | 200 | 3½" | 84 | Tusker 3½" |
| YT 130/T | Tusker (34.92 x 126.20) | 16 | SY 238 | 9¾" | 250 | RT 334/T | 9¼" | 230 | 3½" | 84 | L/L 1613 Turbo |
| YT 133/T | Tusker (34.92 x 126.20) | 16 | SY 239 | 10¾" | 270 | RT 335/T | 10" | 250 | 3½" | 84 | L/L E-comet / Stag |
| YT 134/T | Tusker (34.92 x 126.20) | 16 | SY 244 | 13½" | 340 | RT 336/T | 12" | 300 | 4" | 95 | TATA L/L Interaxle 1710 Series |
| YT 142/T | Tusker (34.92 x 126.20) | 16 | SY 250 | 9½" | 240 | RT 344/T | 10¾" | 270 | 3½" | 84 | TATA 1109 (Conv. 26 to 16 Spl.) |
| YT 146/T | Tusker (34.92 x 126.20) | 16 | SY 264 | 8" | 200 | RT 314/T | 9¾" | 250 | 3" | 70 | TATA 412 N/M |
| YT 161/T | Tusker (34.92 x 126.20) | 16 | SY 272 | 11½" | 290 | RT 387/T | 10½" | 270 | 3½" | 84 | EICHER TERRA (Conv. 28 to 16 Spl.) |
| YT 1005/T | Tusker (34.92 x 126.20) | 16 | SY 270 | 8" | 200 | RT 316/T | 9¾" | 250 | 3" | 70 | TATA 407 N/M, 412, 410 |
| YT 123/T | L/L 370 (39.68x 115.40) | 16 | SY 231 | 8" | 200 | RT 324/T | 8" | 200 | 3" | 71 | L/L 350/370, 3" |
| YT 124/T | L/L 370 (39.68x 115.40) | 16 | SY 231 | 8" | 200 | RT 326/T | 8" | 200 | 3½" | 84 | L/L 350/370, 3.5" |
| YT 118/T | Taurus (47.62 x 135) | 16 | SY 235 | 9½" | 240 | RT 317/T | 10½" | 270 | 4" | 95 | L/L 2214, MSL Shaft |
| YT 127 | Taurus (47.62 x 135) | 16 | SY 235 | 9½" | 240 | RT 331 | 9" | 230 | 3½" | 82 | L/L Taurus |
| YT 114/T | Canter (30.17 x 106.30) | 16 | SY 217 | 7½" | 190 | RT 314/T | 9" | 230 | 3" | 71 | TATA 407 Turbo Ex/709/909 |
| YT 129/T | Canter (30.17 x 106.30) | 16 | SY 217 | 7½" | 190 | RT 333/T | 6¾" | 170 | 3" | 71 | Canter N/M |
| YT 128/T | Canter (30.17 x 106.30) | 16 | SY 217 | 7½" | 190 | RT 399/T | 7¼" | 180 | 3½" | 84 | Canter N/M Long |
| YT 145/T | Canter (30.17 x 106.30) | 16 | SY 263 | 7½" | 190 | RT 372/T | 9" | 230 | 3" | 72 | TATA 407 N/M |
| YT 181/T | Canter (30.17 x 106.30) | 16 | SY 299 | 9" | 230 | RT 330/T | 8" | 200 | 3" | 71 | Canter N/M Swaraj Mazda |



